



Sterilization Operating room Waste & Linen Treatment



David Herrera Cerveto
info@phgh.es
691 873 138
BARCELONA



→ Summary

Examination/Consultation
p. 67 to 87

Pediatrics/Maternity
p. 60 to 65



Infection
& Prevention control
p. 57 to 59



Linen management
p. 41 to 55



Waste management
p. 36 to 40



Treatment

Waste & Linen

CSSDfurniture
p. 8 to 15



Sterilization



Transport trolleys
p. 16 to 19

Operating Room



Shelving & storage systems
p. 20 to 25



Operating room furniture
p. 26 to 34

1



Sterilization Operating Room

1.1 CSSD furniture

Packing workstations:

- ▶ Fixed height 8
- ▶ Height-adjustable 9

Hook trolleys & wall holders 10-11

Accessories for workstations
& hook trolleys/wall holders 12-13

Sterilization baskets 14

Service trolleys 15

1.2 Transport trolleys

Transport trolleys:

- ▶ Stainless steel 16
- ▶ Aluminium 17
- ▶ Options & Accessories 18

Open transport trolleys 19

1.3 Shelving & Storage systems

Stainless steel shelving:

- ▶ Fixed shelving 20
- ▶ Mobile shelving 21
- ▶ Shelves & Accessories 22-23
- ▶ Sliding shelving system INOX'Slide® 24

Mobile epoxy shelving 25

1.4 Operating Room furniture

Instrument tables 26

Mayo tables 27

Bridge table 27

Treatment trolleys 28-29

Infusion stands 30-31

Shoes/Dirty linen collection trolley 32

Basin holders & Kick bucket 32

Decontamination trolleys 33

Wheels option 34



Packing workstations

Fixed height



810.55 + options



810.51



More accessories
for packing workstations available

Pages 12 - 13



→ Packing workstations - Fixed height

Stainless steel tube frame (25 x 25 mm section) - Quality 18/10 (AISI304) fully welded - Brushed surfaces finish
Worktop in stainless steel sheet (1.5 mm thick) or high density antimicrobial resin, white color (13 mm thick - M1 fire classification)
Fitted with lower shelf holders (2 fixing levels) as standard
Ø 125 mm swivel wheels, 2 with brake (front)
Max. load on the tray: 80 kg

DIM L X W X H	STAINLESS STEEL WORKTOP	RESIN WORKTOP
900 x 700 x 900 mm	810.51	810.54
1400 x 700 x 900 mm	810.52	810.55
2000 x 700 x 900 mm	810.53	810.56



OPTIONS

MODEL

REF.

Bridge for packing workstation

1 side with 2 fixing levels

810.26

2 sides with 2 fixing levels

810.27

Fixing set for computer arm

810.30

Lateral hooks for accessories

810.28

Replacement of the wheels by 4 height adjustable pads

810.29



ACCESSORIES

DIM. L X W

WIRE

SOLID

800 x 500 mm

830.72

830.60

800 x 600 mm

830.75

830.63

Lower stainless steel shelf for fixed height workstations
(2 fixing levels)

1300 x 500 mm

830.74

830.62

1300 x 600 mm

830.77

830.65

1900 x 500 mm

830.67

1900 x 600 mm

830.68

Packing workstations

Height-adjustable



Sterilization baskets available

Page 14



→ Packing workstations - Height-adjustable

Stainless steel tube (35 x 35 mm section) and sheet frame - Quality 18/10 (AISI304), fully welded - Brushed surfaces finish
Worktop in stainless steel sheet and anti-vibration panel - Height-adjustable with manual or electrical control
Fitted with lower shelf holders (1 fixing level) as standard
Ø 125 mm swivel wheels, 2 with brake (front) or height-adjustable pads

CONTROL	DIM. L X W	DIM. H. ADJUSTABLE	ON PADS	ON WHEELS
Manual	1400 x 800 mm	8000 > 1200 mm	330.42	330.47
	1600 x 800 mm		330.43	330.48
	1800 x 800 mm		330.44	330.49
	2000 x 800 mm		330.45	330.50
Electrical	1400 x 800 mm	850 > 1150 mm	330.32	330.37
	1600 x 800 mm		330.33	330.38
	1800 x 800 mm		330.34	330.39
	2000 x 800 mm		330.35	330.40



330.97



895.14



OPTIONS

	REF.
1-sided bridge with 3 fixing levels	330.93
Block of 3 stainless steel drawers	330.97



ACCESSORIES

	REF.
Shelf for gantry	895.14
Support for storage bins	330.91
Tilting box fixing set (for ref. 892.16/18/19)	892.23
Lower shelf in stainless steel sheet for height-adjustable workstations	For L. 1400 & 1600 mm 330.88
	For L. 1800 & 2000 mm 330.89

Hook trolleys for baskets/accessories



830.79 + options



830.83 + options



More accessories
available

Pages 12 - 13



Wheels options p.34

→ Hook trolleys - for baskets and accessories

1 or 2 sided trolleys fitted with hooks for transporting baskets and accessories on 2, 3 or 4 levels
Central space that can be equipped to receive baskets or DIN format 600 x 300 containers
Stainless steel frame and hooks - Quality 18/10 (AISI 304) fully argon welded - Space between the hooks: 340 mm
Polyamide Ø 100 mm swivel wheels with stainless steel ball bearing (compatible with washing tunnel)

MODEL	LEVELS	HEIGHT	DIM. L X W	REF.
1 side loading	2 levels	905 mm	628 x 545 mm	830.95
	3 levels	1245 mm		830.80
	4 levels	1585 mm		830.81
2 sides loading	2 levels	905 mm	628 x 850 mm	830.96
	3 levels	1245 mm		830.82
	4 levels	1585 mm		830.83
2 sides loading with central space	3 levels	1245 mm	628 x 1205 mm	830.78
	4 levels	1585 mm		830.79



830.80 + options



OPTION

REF.

Supplement for weld closed extremities

893.21



ACCESSORIES

REF.

Tilt device for 600 x 300 sterilization baskets (per unit)

890.19

Central telescopic frame for sterilization container

893.24

Central shelf

Stainless steel sheet - 350 x 535 x 34 mm 893.31

Stainless steel wire - 350 x 535 x 50 mm 893.32

Base shelf

For 1 and 2 sided trolleys 893.26

For trolleys with central space 893.27

Hook wall holders for baskets/accessories



830.85 + options



893.28



893.30



Sterilization baskets
available

Page 14



→ Hook wall holders - for baskets and accessories

Stainless steel square tubes (35 x 20 mm section) - Quality 18/10 (AISI 304) - Sold in pairs
Welded hooks compatible with sterilization baskets & accessories - Space between the hooks: 200 or 400 mm
Fixing kit with supplied dowels & screws (stainless steel)

SPACE/HOOKS	LEVELS	HEIGHT	REF.
400 mm	4 levels	1600 mm	830.85
	3 levels	1200 mm	830.86
	2 levels	800 mm	830.87
	1 level	400 mm	830.88
200 mm	8 levels	1600 mm	830.89
	6 levels	1200 mm	830.90
	4 levels	800 mm	830.91
	2 levels	400 mm	830.92



OPTIONS

	REF.
Welded of the 4 ends waterproof	893.28
Separation spacer between the wall and the holder (sold individually)	893.30

Accessories for workstations & hook trolleys/wall holders



890.45




890.47

→ Multifunctional shelves

Stainless steel sheet or wire frame. Front edge & side openings
Width 600 mm

MODEL	DIM. W X H	SOLID	WIRE
Single	300 x 150 mm	890.44	890.45
Double	200 x 300 mm	890.46	890.47



890.35

→ Suture boxes holders

Stainless steel wire frame
Capacity: 5 boxes (120 mm)/level

MODEL	REF.
2 levels	890.36
4 levels	890.35



→ Reversible shelf

Stainless steel sheet & wire frame
For notebook or PC monitor

DIM. L X W X H	REF.
600 x 400 x 150 mm	890.48



→ Glove boxes holder

Stainless steel wire frame
Capacity: 6 boxes

DIM. L X W X H	REF.
600 x 145 x 180 mm	890.38



→ Tilt device for 600x300 sterilization baskets

Per unit

REF. 890.19



→ Sterilization container holder

Stainless steel wire frame
2 levels: container (up) / lid (down)

DIM. L X W X H	REF.
640 x 350 x 240 mm	890.51



→ Decontamination container holder

Stainless steel wire frame
For 530 x 325 mm containers

DIM. L X W X H	REF.
640 x 350 x 350 mm	890.34



→ Paper sheets/File holder

Stainless steel wire frame

DIM. L X W X H	REF.
600 x 145 x 320 mm	890.42



890.36

→ Height-adjustable computing arms

For packing workstations

MODEL	REF.
For laptop	890.36
With VESA panel	890.35



327.14

→ Magnifying lamp

On articulated arm with
fixing clamp for bridge
For packing workstations

REF. 327.14

Accessories for workstations & hook trolleys/wall holders



→ Roll holder

Stainless steel wire frame
Sealed central axis

DIM. L X W X H	REF.
600 x 205 x 180 mm	890.43



→ Roll holder with cutter

Stainless steel tube & sheet frame
Supported by an anti-vibration panel


DIM. L X W	REF.
630 x 360 mm	330.96



→ Shoes holder

Stainless steel wire frame
Capacity: 6 pairs

DIM. L X W X H	REF.
600 x 145 x 350 mm	890.39



→ Probe hooks holder

Stainless steel wire frame
8 hooks with 150 mm useful length
Lower level for storing the lid

DIM. L X W X H	REF.
590 x 190 x 120 mm	890.52



→ Probe rack for rail

Stainless steel perforated sheet
& wire frame
3 compartments (95 x 140 mm)

DIM. L X W X H	REF.
300 x 140 x 500	890.41



→ Tilting storage bins

ABSbeige tray + transparent drawers

BINS	DIM. L X W X H	REF.
3	600 x 160 x 240 mm	892.16
5	600 x 110 x 165 mm	892.18
6	600 x 75 x 115 mm	892.19
11 (2 levels)	600 x 110 x 280 mm	892.22
+ adapter for height-adjustable workstations Ref. 892.23		



→ Storage bins holders

Stainless steel sheet frame

MODEL	DIM. L X H	REF.
1 level	600 x 100 mm	890.60
2 levels	600 x 280 mm	890.61



→ Storage bins

Colours: blue, green, red, yellow, grey

VOL.	DIM. L X W X H	REF.
1L	103 x 165 x 83 mm	890.65
3,5L	145 x 240 x 125 mm	890.66
10L	207 x 345 x 165 mm	890.67
30L	303 x 485 x 190 mm	890.68

Sterilization baskets



890.00




890.23

→ Sterilization baskets

Stainless steel wire baskets - Quality 18/10 (AISI 304).
50 x 30 mm mesh (lateral sides) and 30 x 30 mm mesh (bottom). Rounded termination to avoid any risk of tearing
Standardized models for all types of autoclave - Conform to standard NF S 90.322
Integrated handles - Stainless steel label holder included. Device for stacking baskets

FORMAT (DIM. L X W)	HEIGHT	STANDARD	LOW FRONT CUT
DIN (600 x 300 mm)	300 mm	890.10	890.21
	150 mm	890.11	890.22
ISO (600 x 400 mm)	300 mm	890.00	890.20
	150 mm	890.01	890.23



890.12

890.13



890.40



ACCESSORIES	DIRECTION	HEIGHT	DIN	ISO
Vertical separation	Lenght	300 mm	890.12	890.02
		150 mm	890.13	890.03
	Width	300 mm	890.04	
		150 mm	890.05	
Additional stainless steel label holder			890.40	



803.10

803.01

→ Instrument baskets

Stainless steel wire baskets - Quality 18/10 (AISI 304) -
3.35 x 3.35 mm mesh
Standardized models for all types of autoclave - Conform to
standard NF S 90.322
Retractable handles inside the basket - Device for stacking when
loaded/empty

DIM. L X W	H. 50 MM	H. 100 MM
540 x 250 mm	803.01	803.02
480 x 250 mm	803.04	803.05
405 x 250 mm	803.07	803.08
255 x 250 mm	803.10	803.11

Service trolleys



403.65



402.52

→ Service trolleys

Solid and hygienic construction entirely argon welded, without hardware - 18/10 stainless steel quality (AISI304)
Stainless steel to frame with 2 side push handles
Reinforced and soundproofed stainless steel sheet trays - Equipped with a stainless steel stretched gallery on three sides on the lower tray(s)
Compact resin trays, class M1 6 mm thick, white colour - Equipped with a stainless steel stretched gallery on three sides on the lower tray(s)
Polyamide Ø 100 mm or Ø 125 mm swivel wheels with stainless steel ball bearing equipped with bumper rollers
Max. loads : 60 kg

MODEL	DIM. L X W X H	WHEELS	2 TRAYS	3 TRAYS
Stainless steel	600 x 400 x 970 mm	Ø 100 mm	403.47	403.49
	700 x 500 x 970 mm		403.51	403.63
	800 x 600 x 990 mm	Ø 125 mm	403.53	403.65
	1000 x 600 x 990 mm		403.55	403.67

→ Service trolleys - High load capacity

Robust construction designed for heavy loads. Entirely argon welded - 18/10 stainless steel quality (AISI304)
Stainless steel square tube frame 30 x 30 mm - Stainless steel built-in side push handles Ø 25 mm
Stainless steel sheet trays with 15/10 thickness with turned down edges on the front and raised edges on the 3 sides
Swivel wheels Ø 125 mm equipped with bumper rollers

MODEL	DIM. L X W X H	WHEELS	2 TRAYS	3 TRAYS
High load capacity	800 x 600 x 1010 mm	Ø 125 mm	402.52	402.53
	1000 x 600 x 1010 mm		402.54	402.55



Wheels options p.34



→ Trolleys for sterilization sheet

Stainless steel frame - Quality 18/10 (AISI304) - fully argon welded with integrated handlebar.
Designed for storing 4 different sizes of sterilization wrapping sheets (up to 1200 mm) - Independent liftable systems to hold the sheets.
Ø 100 mm swivel wheels, - 2 with brakes

MODEL	DIM. L X W X H	REF.
4 supports	1350 x 650 x 950 mm	800.19

Stainless steel Transport trolleys



804.37




804.37 + options



804.34



804.30 + options



Options and accessories
for transport trolleys

Page 18

→ Stainless steel - Transport trolleys

Stainless steel trolleys (AISI304) with welded anti-torsion base chassis, reinforced steel sheet body & ribbed pyramidal roof to facilitate water run-off
Double sheet doors fitted with silicone rubber seal - Doors opening at 270° with magnet blocking system - Bolt locking (UN3291 standard)
Vertical push handles (on each corners) over the full height
Non-marking grey PEH External bumpers
2 fixed + 2 swivel with brakes Ø160 mm wheels, non-marking grey rubber with stainless steel roller bearings

FORMAT	MODEL	CAPACITY	DIM. L X W X H	REF.
DIN	2 columns	2 x 14 levels (equipped with 2 x 3 pairs of runners - Ref. 895.06)	1010 x 710 x 1470 mm	804.30
		2 x 8 pairs of fixed runners*		804.33
	3 columns	3 x 14 levels (equipped with 3 x 3 pairs of runners - Ref. 895.06)	1260 x 710 x 1470 mm	804.31
		3 x 8 pairs of fixed runners*		804.34
	2 shelves		1010 x 710 x 1470 mm	804.36
			1260 x 710 x 1470 mm	804.37
ISO	1 column	10 pairs of fixed runners	720 x 710 x 1430 mm	804.29
	2 columns	2 x 10 pairs of fixed runners	1260 x 710 x 1470 mm	804.35
	2 shelves		1260 x 710 x 1470 mm	804.37

Aluminium Transport trolleys



804.28



804.28 + options



804.27 + options



417.03 + options


Options and accessories
for transport trolleys

Page 18



→ Aluminium - Transport trolleys

Anodized aluminium trolleys with welded anti-torsion base chassis and monobloc wall - Body & door junctions fitted with sealing gaskets
Doors with vertical continuous hinges - Opening at 270° with magnet blocking system - Espagnolette locking
Horizontal push handles fixed on swivel wheels side
Non-marking grey PVC external lower bumper
2 fixed + 2 swivel Ø200 mm wheels, non-marking grey rubber with stainless steel roller bearings

FORMAT	MODEL	CAPACITY	WEIGHT	DIM. L X W X H	REF.
DIN	2 columns	2 x 9 pairs of fixed runners	65 kg	860 x 710 x 1500 mm	804.25
	3 columns	3 x 9 pairs of fixed runners	75 kg	1230 x 710 x 1500 mm	804.27
	2 shelves	2 folding and removable shelves	60 kg	860 x 710 x 1500 mm	804.26
			70 kg	1230 x 710 x 1500 mm	804.28
ISO	1 column	12 pairs of fixed runners	50 kg	520 x 710 x 1660 mm	417.01
	2 columns	2 x 12 pairs of fixed runners	70 kg	1000 x 710 x 1750 mm	417.03
	3 columns	3 x 12 pairs of fixed runners	80 kg	1430 x 710 x 1750 mm	417.05

Options & Accessories for transport trolleys



OPTIONS

	ALU	STAINLESS
Upper bumper	496.11	-
A4 file holder	496.02	894.15
A5 file holder	496.03	-
Double key lock	496.06	894.17
Seal lock	-	894.18

	ALU	STAINLESS
Link bar	496.04	894.13
Centralized brake on 2 wheels	496.05	894.14
Manual steering lock on 2 wheels *	496.08	894.16
Brake for swivel wheel only	496.10	-
Additional cost for Ø200 mm wheels	496.18	-

* For double cabinet only and without drawbar



895.06



L-shaped holders

Stainless steel - Dim. L. 600 mm


MODEL	REF.
For ISO baskets/bins	895.05
For DIN containers/baskets	895.06



Wire baskets

Stainless steel / Integrated handles

MODEL	HEIGHT	REF.
	100 mm	803.19
ISO	130 mm	803.20
	200 mm	803.21
	300 mm	890.10
DIN	150 mm	890.11



803.25



Wire shelves

Stainless steel / Integrated handles

MODEL	DIM. L X W	REF.
ISO	600 x 325 mm	803.26
	600 x 400 mm	803.25
DIN	600 x 300 mm	803.24 *

* only for cabinets ref. 804.30/804.31/
804.50/804.51/804.52

OpenTransport trolleys




830.29 + options

→ Opentransport trolleys - DIN format

Stainless steel square tubes frame - Quality 18/10 (AiSi304) fully welded
Lateral ladders fitted with steps (10 levels - Adjustment every 100 mm) for DIN shelves & accessories
Polyamide Ø 125 mm swivel wheels, 2 with brake with stainless steel ball bearings.

MODEL	CAPACITY	DIM. L X W X H	REF.
Double	2 x 10 levels	809 x 684 x 1357 mm	830.28
Triple	3 x 10 levels	1184 x 684 x 1357 mm	830.29



1002.15 + options

→ Opentransport trolleys - ISOformat

Stainless steel assembled tubes frame - Quality 18/10 (AiSi304)
Push handle included - Optional high density antimicrobial resin top tray
Lateral ladders fitted with steps (9 levels - Adjustment every 100 mm) - Equipped with 4 pairs (single) or 8 pairs (double) of removable composite runners
Polyamide Ø 125 mm swivel wheels, with stainless steel ball bearing

MODEL	DEPTH	DIM. L X W X H	REF.
Simple (9 levels)	400 mm	697 x 472 x 998 mm	1002.15
	600 mm	497 x 672 x 998 mm	1002.17
Double (2 x 9 levels)	400 mm	1335 x 472 x 998 mm	1002.16
	600 mm	935 x 672 x 998 mm	1002.18



OPTIONS & ACCESSORIES

	DEPTH	SINGLE	DOUBLE
High density antimicrobial resin	400 mm	1102.89	1103.28
	600 mm		1103.29
Additional pairs of runners	400 mm	1200.26	
	600 mm	1200.27	



1102.89



1200.26



Stainless steel Fixed shelving



Assembled fixed shelving



830.50

830.53



Shelves & container/basket holders available


Pages 22 - 23



→ SIDE ladders for stainless steel fixed shelving (per unit)

Side ladders in stainless steel welded square tubes (25 x 25 mm) - Quality 18/10 (AISI304) fitted with cleats - Space between cleats: 190 mm. Assembled with reinforcement cross brace & front connecting bar for optimal robustness. To equip with shelves and container/basket holders (sold separately). Adjustable pads (fixed) or polyamide Ø 125 mm swivel wheels, 2 with brake (mobile)

HEIGHT	LEVELS	DEPTH 500 MM	DEPTH 600 MM
1100 mm	6 levels	830.50	830.54
1500 mm	8 levels	830.51	830.55
1800 mm	10 levels	830.52	830.56
2000 mm	11 levels	830.53	830.57



893.03

893.04

→ ACCESSORIES	WIDTH	REF.
Cross brace reinforcement	DIN / ISO	893.23
	800 / 1000 / 1300 mm	893.03
	DIN / ISO	893.22
Front connecting bar	800 mm	893.04
	1000 mm	893.05
	1300 mm	893.06
Cross telescopic brace reinforcement (angle)		893.42
⚙️ OPTIONS		REF.
Supplement for adjustable stainless steel pads		893.15
Waterproof welded end stop tube ladders		893.29

Stainless steel Mobile shelving



830.38 + options



830.46



Shelves
& container/basket holders available

Pages 22 - 23


→ SIDEladders for stainless steel fixed shelving (per unit)

HEIGHT	LEVELS	WIDTH	DEPTH 500 MM	DEPTH 600 MM
1245 mm	6 levels	800 mm	830.30	830.39
		1000 mm	830.31	830.40
		1300 mm	830.32	830.41
1625 mm	8 levels	800 mm	830.33	830.42
		1000 mm	830.34	830.43
		1300 mm	830.35	830.44
2005 mm	10 levels	800 mm	830.36	830.45
		1000 mm	830.37	830.46
		1300 mm	830.38	830.47

→ Rear retaining grilles

Designed for 1800 and 2000 mm high shelves only.

WIDTH	REF.	WIDTH	REF.
DIN	893.25	1000 mm	893.08
800 mm	893.07	1200 mm	893.09



893.25

893.08

893.09

Shelves for stainless steel shelving



→ Shelves for side ladders with cleats

Designed for installation on the cleats of side ladders.

Stainless steel wire or solid shelves (sheet 10/10 thick) - Quality 18/10 (AISI304) fitted with hooks on each corner.

Straight wire termination or trays terminated by folding on the front. Clean finish with no sharp edges for the safety of users and the protection of stored products.

WIDTH	WIRE SHELVES		SOLID SHELVES	
	DEPTH 500 MM	DEPTH 600 MM	DEPTH 500 MM	DEPTH 600 MM
350 mm - DIN format	830.58	830.59	830.48	830.49
400 mm	-	-	-	830.66
800 mm	830.72	830.75	830.60	830.63
1000 mm	830.73	830.76	830.61	830.64
1300 mm	830.74	830.77	830.62	830.65

ACCESSORIES FOR SHELVES



→ Shelf separators

DEPTH	REF.
500 mm	893.12
600 mm	893.13



→ Adjustable adhesive label holder

LENGTH	REF.
350 mm	1101.46
1200 mm	1200.69



→ Connecting piece for corner shelving

DEPTH	REF.
500 mm	893.01
600 mm	893.02

Only for joining solid shelves

Accessories for stainless steel shelving



→ Telescopic frame for sterilization containers

Stainless steel frame with hooks / For D.600 mm shelving

REF.893.34



→ L-shaped holders for DIN containers & baskets

Stainless steel frame with hooks / For D.600 mm shelving

REF.893.40



→ U-shaped holders for ISO600x400 baskets & shelves

Stainless steel frame with hooks / For D.600 mm shelving


REF.893.41



→ Telescopic resin shelves

High density antimicrobial resin - Integrated handle

FORMAT	DIM. L X W	REF.
DIN	600 x 325 mm	893.44
ISO	600 x 400 mm	893.45



→ Wire shelves

Stainless steel welded frame / Integrated handles

FORMAT	DIM. L X W	REF.
DIN	600 x 300 mm	803.24
	600 x 325 mm	803.25
ISO	600 x 400 mm	803.26




→ Wire ISO600x400 baskets

Stainless steel welded frame / Integrated handles
Stackable basket system (loaded & empty)


HEIGHT	REF.
100 mm	803.19
130 mm	803.20
200 mm	803.21

Sliding shelving system


INOX'SLIDE®



Top view



Layout with stationary shelving



Layout with INOX'SLIDE® sliding system

UP TO
100%
MORE
STORAGE



Shelves & Accessories
for INOX'SLIDE® sliding system
available

Pages 22 - 23

→ Create your sliding shelving SYSTEM- INOX'SLIDE®

INOX'SLIDE® sliding shelving system designed to optimize storage capacities.
Side ladders for stainless steel fixed shelving (Height 2000 mm) - To be installed on mobile bases (available with guide kits).
Rails placed on the ground without floor Holes + mobile base (guide kit) for each mobile shelving.
Double mobile shelving can be constructed with a back-to-back fixing kit (optional).

	MODEL	REF.
A Pair of INOX'SLIDE® SOL (1 linear metre - No length limit)		1200.93
B Kit of 4 end stops for SOL'SLIDE® rails		1200.94
C INOX'SLIDE® SOL guide kit for mobile shelving	Depth 500	893.54
	Depth 600	893.55
	Double DIN	893.58
	Triple DIN	893.59
D Lateral ladder for fixed stainless steel shelving (sold individually)	Depth 500 - Height 2000	830.53*
	Depth 600 - Height 2000	830.57*
E Kit of 4 fixings for back-to-back shelving junction		893.60
F Identification plate for stainless steel shelving	Depth 500	893.61
	Depth 600	893.62

*Don't forget: Depth 500 = 3 ladders / Depth 600 = 4 ladders

Mobile epoxy shelving



839.43 + options

→ Mobile epoxy shelving

Mobile shelving (Flat pack - disassembled) - Equipped with :

- 4 post with adjustment every 25 mm
- 5 epoxy wire shelves
- 4 wheels 125 mm (2 with brake)
- 4 bumpers


WIDTH	HEIGHT	DEPTH 460 MM	DEPTH 610 MM
610 mm	1750 mm	839.40	839.47
760 mm		839.41	839.48
910 mm		839.42	839.49
1070 mm		839.43	839.50
1220 mm		839.44	839.51
1520 mm		839.45	839.52
1830 mm		839.46	839.53




→ Protection cover

Bleu polyester fabric 190g/m², zipped

HEIGHT	DEPTH 460 MM	DEPTH 610 MM
650 mm	897.01	897.10
800 mm	897.02	897.11
950 mm	897.03	897.12
1250 mm	897.04	897.13
1400 mm	897.05	897.14
1570 mm	897.06	897.15
1880 mm	897.07	897.16



834.43



834.45



830.20



834.85

+ ACCESSORIES

	DEPTH 460 MM	DEPTH 610 MM
Adjustable separator	834.43	834.45
Lateral push handle	834.85	834.87
Label holder	830.20	
Lateral panel	833.87	833.89

Instrument tables



305.14



301.03



305.56



305.37



305.53



Wheels options p.34

→ Instrument tables

Stainless steel Ø25 mm tubes frame - Quality 18/10 (AISI304) fully argon welded.
Top tray (with round corners) in stainless steel sheet or high density antimicrobial resin, white color (M1 fire classification) -
Clean finishing suitable to the operating room.
With or without push handles, made of curved tubes on each side.
Galvanized steel Ø100 mm swivel wheels.

DIM. L X W - TRAY	HEIGHT	1 TRAY		2 TRAYS	
		STAINLESS	RESIN	STAINLESS	RESIN
600 x 400 mm	850 mm	305.36	-	301.03	-
700 x 500 mm		305.37	-	301.09	-
800 x 500 mm		305.02	305.53	305.06	305.54
1000 x 600 mm		305.10	305.55	305.14	305.56
1200 x 600 mm		305.33	305.57	305.19	305.58
1600 x 600 mm		305.35	-	305.23	-



OPTION

REF.

4 annular bumpers

390.99

Mayo tables



Wheels options p.34

→ Mayo stands

Stainless steel tubes frame - Quality 18/10 (AISI304) fully argon welded. Top tray with dropped or raised edges - Clean finishing suitable to the operating room. Height-adjustable column with manual (handle) or hydraulic (pedal) control
Ø 50 mm swivel wheels.
Max. Load : 15 kg

MODEL	DIM. TRAY	HEIGHT	DROPPED EDGES	RAISED EDGES
Manual variable height	600 x 400	820 > 1250 mm	305.65	305.64
Hydraulic variable height		820 > 1160 mm	305.67	305.66

Bridge table



→ Bridge table

Stainless steel tubes frame - Quality 18/10 (AISI304) fully argon welded. Top tray with dropped edges - Clean finishing suitable to the operating room. Height-adjustable columns with manual control (handles on each side).
Ø 100 mm swivel wheels, 2 with brakes.
Max. Load : 15 kg

MODEL	TRAY	DIM. TRAY	HEIGHT	REF.
Manual variable height	1000 x 600 mm Dropped edges	1000 x 600 mm	950 > 1400 mm	305.60

Treatment trolleys



312.17



312.12



302.69



302.66



302.67



► Dropped or raised edges



Wheels options p.34

→ Stainless steel trolleys

Stainless steel Ø25 mm tubes frame - Quality 18/10 (AISI304) fully argon welded. Trays with dropped or raised edges - Clean finishing suitable to the operating room. With or without push handles, made of curved tubes on each side.
Galvanized steel Ø100 mm swivel wheels.
Max. Load : 30 kg

HEIGHT	TRAYS	DIM. L X W	DROPPED EDGES		RAISED EDGES	
			WITH PUSH HANDLES	WITHOUT PUSH HANDLE	WITH PUSH HANDLES	WITHOUT PUSH HANDLE
840 mm	2 trays	500 x 500 mm	-	312.54	-	-
	3 trays		-	312.55	-	-
		450 x 350 mm	-	-	-	312.50
860 mm	2 trays	600 x 400 mm	312.17	312.01	312.25	312.09
		700 x 500 mm	312.19	312.03	312.27	312.11
		800 x 600 mm	312.21	-	312.29	-
		450 x 350 mm	-	-	-	312.51
	3 trays	600 x 400 mm	312.18	312.02	312.26	312.10
1110 mm	4 trays	700 x 500 mm	312.20	312.04	312.28	312.12
		800 x 600 mm	312.22	-	312.30	-
		600 x 400 mm	-	-	-	302.66
1410 mm	5 trays	700 x 500 mm	-	-	-	302.67
		600 x 400 mm	-	-	-	302.68
		700 x 500 mm	-	-	-	302.69

Options & Accessories



→ Galleries

SIDE	WITHOUT PUSH HANDLE		WITH PUSH HANDLES		
	600X400	700X500	600X400	700X500	800X600
1 side	-	-	391.60	391.61	391.62
2 sides	391.34	391.35	-	-	-
3 sides	391.30	391.32	391.30	391.32	391.28
4 sides	391.31	391.33	-	-	-



→ Drawer bloc on runners

TROLLEYS	REF.
600 x 400 mm	391.36
700 x 500 mm	391.37

→ Compartments (9 cases)

Aluminium	391.44
Plastic	394.70



390.65

→ Waste bag holders

With Ø25 mm fixing/pivoting clamp

CAPACITY	REF.
10/20L	390.65
20/30L	390.78



390.70

→ Sharp container holders

With Ø25 mm fixing/pivoting clamp

MODEL	REF.
Grey epoxy	390.70
Stainless steel	390.76



→ Laptop support

Height-adjustable

REF. 494.27

+ securized cable for laptop - Ref. 338.78



390.55

390.54

→ Removable tray/pan

With Ø25 mm fixing/pivoting clamp

MODEL	DIM.	REF.
Tray	220 x 140 mm	390.54
2L pan	Ø 220 mm	390.55



→ Removable wire basket

With Ø25 mm fixing/pivoting clamp

DIM. L X W X H	REF.
300 x 300 x 150 mm	391.16




394.73

→ Tilting plastic bins

For trolleys with dropped edges

MODEL	REF.
5 boxes (on 1 level)	394.71
8 boxes (on 2 levels)	394.72
11 boxes (on 2 levels)	394.73



→ IV. holder with 2 hooks

MODEL	REF.
Curved hooks	317.03
Open hooks	317.05
+ Ø25 mm fixing clamp - Ref. 390.50	



→ Folding side shelves

TROLLEYS	DIM. L X W	REF.
600 x 400 mm	370 x 310 mm	391.45
700 x 500 mm	470 x 350 mm	391.46

Infusion stands

Hook specifications :



Curved plastic




Curved stainless steel



Open stainless steel



All the IV poles on this page are certified



317.37



317.25



Infusion stand

Height-adjustable tube (Ø25 mm) and IV pole (Ø16 mm) made from stainless steel tube

Stainless steel or plastic hooks, curved or open - Maximum weight per hook: 4 kg

Leg with 5 branches made of stainless steel or plastic equipped with wheels Ø50 mm

Colour choices* : Fuchsia Lilac Green Blue Saffron Turquoise Coral

HOOK	CAPACITY	DIM. Ø X H. MAX	PLASTIC LEG			BASES STAINLESS STEEL	
			STAINLESS STEEL TUBE	EPOXY* TUBE	UNI-MANUAL STAINLESS STEEL	STANDARD SETTING	UNI-MANUAL SETTING
Curved plastic	2 hooks	50 x 1800 mm	317.12	317.32	317.50	317.22	317.44
	4 hooks		317.13	317.33	317.51	317.23	317.45
Curved stainless steel	2 hooks		317.14	317.36	317.46	317.24	317.40
	4 hooks		317.15	317.37	317.47	317.25	317.41
Open stainless steel	2 hooks		317.20	317.34	317.48	317.26	317.42
	4 hooks		317.21	317.35	317.49	317.27	317.43

Options & Accessories

ACCESSORIES FOR ALL INFUSION STAND



→ Stainless steel trays

With edges

MODEL	REF.
Square 330 x 330 mm	397.20
Round Ø300 mm	397.21



→ Polycarbonate tray

With edges

MODEL	REF.
Rectangular 350 x 270 mm	397.25



→ Stainless steel guide handle

REF. 397.22



→ Label holder

REF. 397.32



→ Standardized stainless steel rail

REF. 397.24



→ Stainless steel pump holder

REF. 397.23

ACCESSORIES FOR INFUSION STAND WITH PLASTIC LEG



317.08

→ Plastic leg

With shaft

MODEL	REF.
Epoxy	317.07
Stainless steel	317.08



→ Ballast 3.5 kg

For plastic base

REF. 397.31



397.28

→ Additional cost for 5 swivel wheels

With 2 with brakes

MODEL	REF.
Anti-static	397.27
Paediatric	397.28
Ø 80 mm	397.29

ACCESSORIES FOR INFUSION STAND WITH BASES STAINLESS STEEL



→ Ballasted feet 4 kg

For stainless steel base

REF. 397.07



→ Additional cost for 2 wheels with brakes

REF. 595.25

Shoes/Dirty linen Collection trolley



830.80 + 3 x 890.39



800.70



Wheels options p.34



Shoes/ dirty linen collection trolley

Stainless steel wire frame (40 x 40 mm mesh)
Quality 18/10 (AISI304) fully welded.
Ø 100 mm swivel wheels.

	DIM. L X W X H	REF.
Collection trolley	600 x 500 x 620 mm	800.70
Hook trolley - 3 levels	628 x 545 x 1245 mm	830.80
Shoes holder - Capacity 6 pairs (for hook trolley)		890.39

Basin holders & Kick bucket



307.70



307.72



307.99



Wheels options p.34



Basin holders & kick bucket

BASIN HOLDERS:
Stainless steel tubes frame - Quality 18/10 (AISI304) fully argon welded.
Height-adjustable bowl holder - Manual control.
Ø 260 mm removable stainless steel bowl - Capacity 3 litres.
5 Ø 50 mm swivel wheels.

KICK BUCKET :
Stainless steel bowl older
Ø 430 mm removable stainless steel bowl - Capacity 14 litres.
4 Ø 50 mm swivel wheels.

	CAPACITY	DIM. Ø	HEIGHT	REF.
Basin holders	1 x 3 litres	Ø 500 mm	850 > 1250 mm	307.70
	2 x 3 litres			307.72
Kick bucket	14 litres	Ø 430 mm	160 mm	307.99



OPTION

REF.

Additional cost for 2 brake wheels

595.25

Decontamination trolleys



800.24 +options



800.25 +options



More decontamination
trolleys available

Pages 10-12



Wheels options p.34

Decontamination trolleys

Stainless steel Ø25 mm tubes frame - Quality 18/10 (AISI304) fully argon welded - Designed with drain valves protection.
Cover holder under the container (ref. 800.24 only).
Ø 125 mm swivel wheels, 2 with brakes - Suitable for washing tunnel

MODEL	MAX HEIGHT OF CONTAINERS	DIM. L X W X H	REF.
For 1 or 2 containers	320 mm	650 x 460 x 850 mm	800.24
For 3 or 4 containers	215 mm	700 x 460 x 1050 mm	800.25



890.71



890.94



890.86



890.87



890.88

Containers - Format 530 x 325 mm


MODEL	CAPACITY	HEIGHT	REF.
Stainless steel	20.5L	150 mm	890.70
	27L	200 mm	890.71
Polypropylene	20.5L	150 mm	890.90
	27L	200 mm	890.91
Decontamination kit	20.5L	150 mm	890.94

Containers - Format 600 x 400 mm

MODEL	CAPACITY	HEIGHT	REF.
Polyethylene	25L	165 mm	890.86
	35L	215 mm	890.87
	55L	320 mm	890.88

Containers with drain Format 530 x 325 mm

MODEL	CAPACITY	HEIGHT	REF.
Polypropylene	20.5L	150 mm	890.92
	27L	200 mm	890.93



890.74

890.89

ACCESSORIES- FORMAT 530 X 325 MM

MODEL	REF.
Stainless steel cover - single	890.86
Stainless steel cover - waterproof	890.75
Transparent polycarbonate cover	890.95

ACCESSORIES- FORMAT 600 X 400 MM

MODEL	REF.
Polyethylene cover	890.89
Draincock	890.99

Wheels options

		REF.	Hook trolley Page 10	Trolleys for sterilization sheet Page 15	Instrument tables Page 26	Mayo tables Page 27	Bridge table Page 27	Treatment trolleys Page 28	Collection trolley Page 32	Decontamination trolleys Page 33
2 Ø100 mm wheels with brakes		395.10			✓			✓		
2 Ø100 mm brake wheels for washing tunnel		890.32	✓				✓		✓	
		390.89			✓			✓ *		
4 Ø100 mm antistatic wheels		390.91			✓			✓		
2 Ø100 mm antistatic wheels with brakes		390.96			✓			✓		
4 Ø100 mm wheels for washing tunnel		390.88			✓			✓ *		
4 Ø125 mm wheels compatible with washing tunnel		890.64	✓							
2 Ø125 mm brake wheels compatible with washing tunnel		1102.90	✓							
2 Ø50 mm brake wheels		390.93				✓				
4 Ø50 mm antistatic wheels		395.09				✓				
2 Ø50 mm antistatic wheels with brakes		397.19				✓				
4 Ø100 mm antistatic wheels including 2 with brakes		390.98					✓			
4 Ø125 mm antistatic wheels including 2 with brakes		892.38								✓
Bumper rollers		390.99			✓			✓		
Additional cost for 4 Ø125 mm wheels including 2 with brake		890.69	✓							

* Only for stainless steel trolleys height 860 mm.

2



Waste & Linen Management

2.1 Waste management

Evolu-Tri® waste bag/box holders:

- ▶ Carts 36-37
- ▶ For trolleys/carts 38
- ▶ On the floor 39
- ▶ Wall holders 39

Trash bins 39

Hermetic waste bag holders 40

2.2 Linen management

Linen carts:

- ▶ Opti-Soins® - Linen collection cart 41
- ▶ Opti-Tri® / Eco-Tri® - Linen bag holders 42-43
- ▶ Laundry bags / Washing nets 42-43

Roll/Cabri trolleys:

- ▶ Roll trolleys 44-45
- ▶ Cabri trolleys 44-45
- ▶ Spring loaded base for roll/cabri trolleys 44

Transport trolleys:

- ▶ Transport trolleys for dirty linen 46-47
- ▶ Spring loaded base trolleys 48
- ▶ Laundry equipment 49
- ▶ Cupboard trolleys for clean linen 50-51

Wire shelf trolleys:

- ▶ With compartments 52
- ▶ With compartments & hanging rod 53

Nursing trolleys 54-55



Evolu-Tri® waste bag & box holders



SRI50/120 C/F



SRI 30



SRI50 C/F



SRI 30



SRI 50



SRI50/120



SUPBAB + options

→ Evolu-tri® waste bag & box holders - Single

Robust 25 mm section square tube electropolished 18/10 stainless steel construction.
Bag and/or box/adjustable holder in 18/10 stainless steel wire with holding device.
4 Ø75 mm swivel castors, 2 of which have brakes, with guards and non-marking rubber tyres.

MODEL	CAPACITY	DIM. L X W X H	REF.
1 bag	30 litres	370 x 350 x 680 mm	SRI 30
	50 litres	410 x 350 x 680 mm	SRI 50
	50 à 120 litres	420 x 400 x 970 mm	SRI 50/120
1 DASRI box holder	25 à 60 litres	420 x 350 x 680 mm	SRI 50 C/F
	50 à 60 litres	420 x 400 x 970 mm	SRI 50/120 C/F



Reduce your costs thanks to of waste sorting at the source

PHGH supports health establishment by setting up procedures for the selective sorting of waste from healthcare activities within operating units.



Waste bag



Hazardous bag

80 to 85%

15 to 20%

Evolu-Tri®

waste bag & box holders



DRI50/120



DRI50/120 C/F



DRI T30



DRID50/120 C/F



DRI 30



DRI30 C/F



DRI30/120



DRI50/120 DC/F



DRIQ50/120

→ Evolu-Tri® waste bag & box holders - Double

MODEL	CAPACITY	DIM. L X W X H	REF.
2 bags	30 litres	370 x 450 x 680 mm	DRI 30
	50 litres	410 x 450 x 680 mm	DRI 50
	1 x 30 litres + 1 x 50 litres	410 x 450 x 680 mm	DRI30/50
	1 x 30 litres + 1 x 120 litres	420 x 550 x 970 mm	DRI30/120
	1 x 50 litres + 1 x 120 litres	420 x 550 x 970 mm	DRI50/120
3 bags	1 x 30 litres + 2 x 30 litres	370 x 450 x 680 mm	DRI T30
	1 x 50 à 120 litres + 2 x 50 à 120 litres	420 x 550 x 970 mm	DRI T50/120
4 bags	2 x 50 à 120 litres + 2 x 50 à 120 litres	935 x 420 x 970 mm	DRI Q50/120
	1 x 30 litres (bag) + 1 x 25 à 60 litres (box)	420 x 550 x 680 mm	DRI 30 C/F
1 DASRIbag + 1 box holder	1 x 50 litres (bag) + 1 x 25 à 60 litres (box)	420 x 550 x 680 mm	DRI 50 C/F
	1 x 50 à 120 litres (bag) + 1 x 25 à 60 litres (box)	420 x 600 x 970 mm	DRI50/120 C/F
	2 x 30 litres (bag) + 1 x 25 à 60 litres (box)	420 x 550 x 675 mm	DRI D30 C/F
2 DASRIbags + 1 box holder	2 x 50 à 120 litres (bag) + 1 x 25 à 60 litres (box)	420 x 600 x 970 mm	DRID50/120 C/F
	25 à 60 litres	420 x 650 x 680 mm	DRI 50 DC/F
2 DASRIbos holder	50 à 60 litres	420 x 660 x 970 mm	DRI50/120 DC/F

Evolu-Tri® waste bag holders for treatment trolleys & carts



DBL SFI 10/20 D BP

1501.18

1501.22

→ Evolu-Tri® waste bag holders for treatment trolleys & carts


Waste bag holders Evolu-Tri® for treatment trolleys and carts designed to optimize the sorting of healthcare activity waste at the source, as soon as treatment is given.

Universal attaching systems, to be installed without tools.

Made from electropolished stainless steel wire 18/10

	MODEL	POSITION	CAPACITY	REF.
Holders with stainless steel clamp (for trolleys) tube setting	Simple	Right	10 to 20 litres	SFI 10/20 D BP
		Left		SFI 10/20 G BP
		Right	20 to 30 litres	SFI 20/30 D BP
		Left		SFI 20/30 G BP
	Double		10 to 20 litres	DBL SFI 10/20 BP
			20 to 30 litres	DBL SFI 20/30 BP
Holders with polycarbonate rail clamps (for carts) rail setting	Simple		10 to 20 litres	1501.22
			20 to 30 litres	1501.23
	Double		10 to 20 litres	1501.18
			20 to 30 litres	1501.19

Evolu-Tri® on the floor holders



→ EVOLU-TRI® on the floor holders

Waste bag holders on the floor, simple or double, adaptable to the different waste bag capacities (from 10 to 120 L).
Made from steel wire 18/10 Ø6 mm.

MODEL	CAPACITY	REF.
Simple	10 to 20 litres	SSI 10/20
	20 to 30 litres	SSI 20/30
	50 litres	SSI 50
	110 litres	SSI 110
Double	10 to 20 litres	DSI 10/20
	20 to 30 litres	DSI 20/30

Evolu-Tri® wall holders



→ EVOLU-TRI® wall holders

Waste bag holders on the wall (screws not included) adaptable to the different waste bag capacities (from 10 to 120 L).
Made from steel wire 18/10 Ø6 mm.

CAPACITY	REF.
10 to 20 litres	SMI 10/20
20 to 30 litres	SMI 20/30
30 litres	SMI 30
50 litres	SMI 50
50 to 120 litres	SMI 50/120

Trash bins



→ Trash bins

Stainless body and lid
Internal plastic bucket

CAPACITY	REF.
12 litres	309.50
30 litres	309.54

Hermetic waste bag holders



404.80




404.82



404.89



404.86



Open controlled by a pedal
with integrated brake system.

→ Hermetic waste bag holders

Robust construction in AISI 304 stainless steel tubes with white ABS plastic base.

Shaped plastic base to retain liquid flows from the bags.

Closing system of the bag by pinching - Ring equipped with non-slip studs and clamps to effectively hold all types of bags.

From 2 to 4 Ø80 mm swivel castors, including 2 with brakes and non-marking rubber band fitted with bumper rollers.

FOOT TYPE	MODEL	CAPACITY	DIM. L X W X H	REF.
4 self-braking wheels	1 bag	40 à 70 litres	600 x 470 x 830 mm	404.90
		70 à 120 litres	600 x 470 x 990 mm	404.91
	2 bags	40 à 70 litres	1200 x 470 x 830 mm	404.92
		70 à 120 litres	1200 x 470 x 990 mm	404.93
4 wheels	1 bag	40 à 70 litres	600 x 470 x 830 mm	404.80
		70 à 120 litres	600 x 470 x 990 mm	404.81
	2 bags	40 à 70 litres	1200 x 470 x 830 mm	404.84
		70 à 120 litres	1200 x 470 x 990 mm	404.85
2 wheels + 2 pads	1 bag	40 à 70 litres	600 x 470 x 830 mm	404.82
		70 à 120 litres	600 x 470 x 990 mm	404.83
	2 bags	40 à 70 litres	1200 x 470 x 830 mm	404.86
		70 à 120 litres	1200 x 470 x 990 mm	404.87
Wall fitting	1 bag	70 à 120 litres	600 x 390 x 950 mm	404.89

Opti-Soins[®] linen collection cart



→ Opti-Soins[®] linen collection cart

Ergonomic cart for collecting dirty laundry in the room, in compliance with prevention and hygiene rules.
Stainless steel or epoxy construction (choice of 6 colours), entirely welded, can be nested in order to optimise storage.
Foldable holder for 30L laundry basket (basket as an option).
Foldable stainless steel kit for patient/resident bed toiletry (optional).
Wheels Ø 75 mm with threadguards

Colour choices :

Red	Blue	Green
Lilac	Plum	Aluminium

MODEL	DIM. L X D X H	REF.
Stainless steel	550 x 510 x 990 mm	404.25
Epoxy *		404.26



OPTIONS	REF.
Supplement for wheel with brakes Ø 75 mm	494.44

ACCESSORIES	REF.
Foldable kit for bed toiletry (two holders for 4L basins, towel holder, basket for hygiene products)	494.46
Pair of basins	Stainless steel - 4L 494.47
	Plastic - 6L 494.49
Removable stainless steel shelf	494.48
30L solid laundry basket - White colour	494.87
Holder for hand sanitiser	900.66
Vertical glove box holder	900.74
Waste bag holder - 20L	907.01

Linen bag holders - Welded version



420.02



420.05



420.09

→ Opti-Tri® linen bag holders - With push handle - Argon welded

Single-piece carts, composed of tubes Ø25 mm and of a lower sheet shelf made of stainless steel
Polyamide universal bag holder ring with rubber system for blocking the bag. Dim. 370 x 270 mm - Max. weight on ring: 15 kg
Moulded ABS lid with grasping handle equipped with a soft descent - Pinned on a robust stainless steel hinge
Wheels Ø 100 mm, mounted on ball bearings, with non-marking rubber treads and threadguards

Colour choices :  Red  Green  Yellow  Blue  White

CAPACITY	DIM. L X W X H	WITHOUT LID	WITH LID (MANUAL)	WITH LID & PEDAL
1 bag	490 x 525 x 1010 mm	420.01	420.02	420.03
2 bags	830 x 525 x 1010 mm	420.04	420.05	420.06
3 bags	1170 x 525 x 1010 mm	420.07	420.08	420.09
4 bags	1510 x 525 x 1010 mm	420.10	420.11	420.12
4 back-to-back bags	760 x 1085 x 990 mm	420.13	420.14	420.15



420.63



OPTIONS FOR OPTI-TRI

REF.

4 Bumpers

390.99

Supplement for 2 wheels with brakes Ø100 mm

395.10

Waste bag holder with hermetic seal - Hermé-Tri® 70 L with adaptation for Opti-Tri® carts

420.86



ACCESSORIES FOR OPTI-TRI

REF.

RABCTraceability kit for disinfection of the cart (storage basket for sprays, laundry bags + A4 sheet holder)

420.63

Sheet of adhesive identification labels for sorting the laundry

420.64

420.03 + 420.86

LANDRY BAGS & WASHING NETS



497.01



497.02



497.03



497.04



497.15

Linen bag holders - Flat pack



413.01 + options



413.02



413.03

→ Eco-Tri® linen bag holders- Flat pack disassembled

ABS base with stainless steel tubes
Bag holding ring made of glass reinforced nylon and rubber. DIM: 350x255mm
Maximum loading / ring: 15 Kg
ABSmolded lid with integrated push handle
80mm swiveling wheels – 2 with brake

Colour choices :  Red  Green  Yellow  Blue  White  Brown

CAPACITY	DIM. L X D X H	REF.
1 bag	360 x 510 x 910 mm	413.01
2 bags	735 x 510 x 910 mm	413.02
3 bags	1110 x 510 x 910 mm	413.03
4 bags	1485 x 510 x 910 mm	413.04
4 back-to-back bags	1040 x 735 x 910 mm	413.05



493.36

493.38



493.35



493.37



OPTIONS FOR ECO-TRI

	REF.
ABSlid with integrated handle (6 colors available) + extra option needed : ref. 493.35 or ref. 493.37	493.38
Pedal opening hinge	493.35
Manual opening hinge without pedal	493.37
Stainless steel push handle	493.36

→ LAUNDRY BAGS & WASHING NETS

	MODEL	DIM. L X D	REF.
Laundry bag with round bottom (Ø400 mm) with side and bottom handles Polyester canvas 120 g/m² - Closure with a cord + Fixlock Choice of 6 colours: blue, green, red, yellow, orange	solid	630 x 1000 mm	497.01
	striped		497.02
	solid impermeable (blue)		497.03
Two-colour washing net Polyester mesh 180 g/m² - Brandenburg flexible rubber closure Choice of 6 colours: blue, green, red, yellow, white		450 x 750 mm	497.04
		600 x 900 mm	497.05
Laundry bag with soluble opening (carton of 200 bags) - 30 microns Colours: transparent	65 L	710 x 760 mm	497.15
	95 L	710 x 960 mm	497.16
100%water-soluble laundry bag (carton of 200 bags) - 25 microns Colours: transparent	70 L	840 x 660 mm	497.17

Roll/Cabri trolleys



419.10 + 499.11



419.11



419.18

→ Roll/cabri trolleys

Roll trolley with 3 walls and open front (285 x 110 mm meshed) - Delivered assembled (for Ref. 419.10/419.11)

Roll trolley with 3 walls and open front (285 x 110 mm meshed) - Delivered disassembled (for Ref. 419.17/419.18)

Fully welded electrolytic galvanized steel structure (base + 3 walls) -

Maximum load : 500kg.

Two integrated push handles on the back wall - One instruction window (155 x 155 mm) on the lateral wall (for Ref. 419.10)

2 fixed and 2 swivel Ø125 mm wheels, non-marking rubber with stainless steel roller bearings.

Ref. 419.17 equipped with the instruction window on the front panel

Ref. 419.18 equipped with push handles and file holder on the back panel

	MODEL	DIM. L X W X H	WEIGHT	REF.
Roll trolley	Monobloc	700 x 800 x 1700 mm	47 kg	419.10
	High-load capacity	1200 x 810 x 1715 mm	65 kg	419.11
Secured meshes - Roll trolley	Standard	680 x 800 x 1700 mm	42 kg	419.17
	Nestable	720 x 890 x 1770 mm	56 kg	419.18
Cabri trolley	Monobloc	700 x 490 x 1470 mm	30 kg	419.01
		700 x 490 x 1720 mm	32 kg	419.03



499.30 + 419.10

→ SPRING-LOADED BASE FOR ROLL & CABRI TROLLEYS

MODEL	DIM. L X W X H	SPRING-LOAD CAPACITY	
		25 KG	50 KG
For Monobloc Roll trolley	730 x 635 x 500 mm	499.30	499.31
For Roll trolley - High-load	1130 x 735 x 500 mm	499.34	499.35
For Monobloc Cabri trolleys	430 x 635 x 500 mm	499.32	499.33



499.30



499.34



499.32

Roll/Cabri trolleys



419.17



419.01 + 499.26



Quality requirement.
the roll carts are designed
(conception and manufacture) for
washing tunnel or disinfection by
pulverization.



Composition

Ref. 419.17 equipped with the
instruction window on the front panel
Ref. 419.18 equipped with push
handles and file holder on the back
panel



499.15



OPTIONS

		FOR ROLL		FOR CABRI
		MONOBLOC	HIGH-LOAD	MONOBLOC
White PVC board		499.10	-	-
Front foldable panel		499.11	499.14	499.01
Removable shelf		499.22	499.15	499.03
Link bar		499.16	499.12	-
Adjustable belts	Lateral	499.18	-	-
	Vertical	499.49	-	499.26



499.16



499.18



PROTECTION COVER

	DIM. L X W X H	FOR ROLL		FOR CABRI	
		IN	OUT	IN	OUT
Polyester cover 190g/m ²	710 x 830 x 1560 mm	897.20	897.21	-	-
Blue colour	820 x 1250 x 1550 mm	-	897.22	-	-
"U"closure system	730 x 500 x 1300 mm	-	-	897.30	897.31
Metallic frame zip	730 x 500 x 1550 mm	-	-	897.32	897.33
Inside installation with 4 hooks					

Transport trolleys with smooth walls



Trolleys with spring-loaded base available

Page 48

→ Transport trolleys - with smooth walls

Anodized aluminium trolleys with welded anti-torsion base chassis and smooth or ribbed (ribbed every 120 mm) walls. Large opening with single or double door to facilitate the loading/unloading operations. Lids with nylon hinges with a locking in the open position to avoid accidental closing. Horizontal push handles fixed on swivel wheels side. Non-marking grey PVC external lower bumper. 2 fixed + 2 swivel with brakes Ø200 mm wheels, non-marking grey rubber with stainless steel roller bearings.

MODEL	VOL.	DIM. L X W X H	WHEELS	WEIGHT	REF.
Lid	360L	1200 x 700 x 910 mm	Ø 160 mm	38 kg	416.74
Double door	760L	1090 x 690 x 1515 mm	Ø 160 mm	48 kg	416.65*
	1100L	1410 x 730 x 1515 mm	Ø 200 mm	51 kg	416.66*

* Delivered with draining device

Options



Transport trolleys with ribbed walls



416.63




416.61



416.15

Wheels position



→ Transport trolleys - with ribbed walls

MODEL	OPENING	VOLUME	DIM. L X W X H	WHEELS	WEIGHT	REF.
Open trolleys	Standard	610L	1350 x 750 x 850 mm	Ø 125 mm(A)		416.35
		480L	1180 x 685 x 850 mm	Ø 125 mm(A)		416.36
		400L	1050 x 650 x 850 mm	Ø 125 mm(D)		416.37
		316L	1070 x 550 x 775 mm	Ø 100 mm(A)		416.38
		186L	860 x 510 x 650 mm	Ø 100 mm(D)		416.39
	1/2 opening	860L	1500 x 930 x 890 mm	Ø 160 mm(D)		416.15
Closed trolleys	Single door	760L	1090 x 690 x 1515 mm	Ø 160 mm	44 kg	416.61
		1100L	1410 x 730 x 1515 mm	Ø 200 mm	51 kg	416.62
	Double door	760L	1090 x 690 x 1515 mm	Ø 160 mm	47 kg	416.63
		1100L	1410 x 730 x 1515 mm	Ø 200 mm	51 kg	416.64




OPTIONS

	REF.
Link bar	496.04
Centralized brake on 2 wheels (for Ø 200 mm wheels)	496.05
Manual locking on 2 directional wheels (for Ø 200 mm wheels) (Not compatible with the link bar)	496.08
Swivel wheel brake Ø 200 mm	496.10
Draining device at the bottom	496.12
Vertical separation wall	496.19

Spring-loaded base trolleys



Wheels positions



→ Spring-load base trolleys

Robust structure in anodized aluminium plain wall.
Spring mobile base which can be automatically raised/lowered gradually depending on weight load (moving from 5kg load).
Non-marking top rubber bumper.
Non-marking rubber wheels with stainless steel ball bearing.

VOLUME	CAPACITY	DIM. L X W X H	WHEELS	REF.
740 litres	70 kg	1520 x 950 x 860 mm	Ø 160 mm (A)	416.21
550 litres	65 kg	1450 x 750 x 800 mm	Ø 125 mm (A)	416.23
455 litres	55 kg	1300 x 700 x 800 mm	Ø 125 mm (D)	416.25
340 litres	45 kg	1050 x 650 x 800 mm	Ø 125 mm (D)	416.27
310 litres	30 kg	970 x 650 x 800 mm	Ø 125 mm (D)	416.29
230 litres	30 kg	1090 x 450 x 800 mm	Ø 125 mm (D)	416.31*



OPTIONS

OPTIONS	REF.	
Electronic weighing display (not compatible with ref. 416.31)	496.24	
Brake for swivel wheels 160 mm or Ø 125 mm	496.10	
Push handle	496.25	
	for ref. 416.21	496.29
	for ref. 416.23	496.33
	for ref. 416.25	496.34
Top foldable cover	for ref. 416.27	496.35
	for ref. 416.29	496.36
	for ref. 416.31	496.37

Laundry equipment



408.01 + options

→ Trolleys for laundry basket

Epoxy or stainless steel trolleys for laundry basket (without basket), fully welded
Suitable for 1 x 130L basket or 2 x 60L
Ø75 mm swivel castors

MODEL	DIM. L X W X H	REF.
Fixed height - Epoxy	810 x 575 x 910 mm	408.01
Fixed height - Stainless steel		408.02
Variable height - Stainless steel	810 x 575 x 870 - 1270 mm	408.03



OPTIONS	REF.
Brake	494.44
Lower stainless steel shelf only for Ref. 408.01 and Ref. 408.02 trolleys	494.84



494.85

494.86

→ Laundry baskets

Plugable and perforated laundry baskets

CAPACITY	DIM. L X W X H	REF.
60L	400 x 610 x 270 mm	494.85
130L	575 x 800 x 290 mm	494.86



→ Landry easel

Epoxy steel laundry easel, fully welded, with non-slip cover top
Ø75 mm swivel castors

DIM. L X W X H	REF.
1000 x 500 x 900	408.05



OPTIONS	REF.
Brake	494.44
Lower epoxy shelf	494.89

Cupboard trolleys for clean linen



416.04 + options



416.06



416.03

→ Cupboard trolleys

Anodized aluminium trolleys with welded anti-torsion base chassis and monobloc wall - Body & door junctions fitted with sealing gaskets. Doors with vertical continuous hinges - Opening at 270° with magnet blocking system - Espagnolette locking. Horizontal push handles fixed on swivel wheels side. Non-marking grey PVC external lower bumper. 2 fixed + 2 swivel with brakes Ø200 mm wheels, non-marking grey rubber with stainless steel roller bearings.

MODEL	VOL.	DIM. L X W X H	WHEELS	WEIGHT	REF.
1 shelf	580L	1230 x 630 x 1250 mm	Ø 200 mm	55 kg	416.03
	600L	840 x 640 x 1660 mm	Ø 125 mm	55 kg	416.04
2 shelves	740L	1230 x 630 x 1500 mm	Ø 200 mm	65 kg	416.02
	900L	1230 x 630 x 1750 mm	Ø 200 mm	75 kg	416.01
2 shelves + hanging rod	900L	1230 x 630 x 1750 mm	Ø 200 mm	51 kg	416.06



OPTIONS

	REF.
1 Chart-holder	A4 size 496.02
	A5 size 496.03
2 Linking bar	496.04
Centralized brake on 2 wheels (for wheels Ø 200 mm)	496.05
3 Key lock + 2 keys	496.06
Master-key	496.38
Seal locking	416.12
Blocking system for a shelf on upright position	496.07
Manuel braking system on 2 wheels (for wheels Ø 200 mm) Not compatible with linking bar	496.08
Pivot-mounted and foldable shelf (6 kg)	496.09
Brakes on pivoting wheels Ø 200 mm	496.10
Upper bumper	496.11
Door (opening 270°) - For Ref. 413.30/413.31/413.32	493.42
4 Wheels with brake Ø 125 mm For Ref. 413.30/413.31/413.32	493.47

Cupboard trolleys for clean linen



416.08

→ Cupboard trolley - with polyamide screen

Anodized aluminium trolleys with welded anti-torsion base chassis and monobloc wall.
Fitted with 2 internal foldable shelves.

Screen made in polyamide, with velcro setting.

Horizontal push handles on both side.

2 fixed + 2 swivel Ø125 mm wheels, non-marking grey rubber with stainless steel roller bearings.

MODEL	VOL.	DIM. L X W X H	WHEELS	WEIGHT	REF.
2 foldable shelves	600L	840 x 630 x 1660 mm	Ø 125 mm	45 kg	416.08



413.32 + options

→ Cupboard trolleys - with linen bag holders

Anodized aluminium trolleys with welded base chassis and monobloc wall - Fitted with 1 internal shelf - Optional swing door.

Top tray with raised edges, made in ABS plastic.

Non-marking grey PVC external lower bumper.


Ø125 mm swivel wheels, non-marking grey rubber.

VOLUME	VOL.	DIM. L X W X H	REF.
	Without bag holder	600 x 680 x 1180 mm	413.30
280 litres	With 1 bag holder	600 x 1060 x 1180 mm	413.31
	With 2 bag holders	600 x 1460 x 1180 mm	413.32



OPTIONS	REF.
Swing door (opening 270°)	493.42
Swivel wheel brake Ø 125 mm	493.47

Wire shelf trolleys with compartments



839.03



834.85



830.20



494.21



494.23

Wire shelf trolleys - with compartments

Trolley delivered in kit form - with wire steel epoxy grey color painted tubes and shelves.

Epoxy grey color painted tubes Ø 25 mm slotted every 25 mm - Equipped with end seal caps.

Adjustable wire steel epoxy grey color painted shelves - Maximum load per shelf : 200 kg.

Swivel ball-bearing and rubber non-marking Ø 125 mm wheel, 2 with brakes.

Trolleys with compartments equipped as standard with :

- 4 tubes
- Wire shelves with separations
- 1 label-holder/compartment
- 4 bumpers

COMPART.	LEVEL	WIDTH	DIM. D X H	REF.
8	4	610 mm	460 x 1750 mm	839.01
10	5			839.02
12	4	910 mm		839.03
15	5			839.04
16	4	1220 mm		839.05
20	5	1220 mm		839.06
	4	1520 mm		839.07
24	4	1830 mm		839.08
25	5	1520 mm		839.09
30	5	1830 mm		839.10



ACCESSORIES

REF.

Push-handle			834.85
Additional label-holder			830.20
Retaining rod with 2 hooks			892.55
Side panel for a shelf			833.87
Exterior hanging rod - L. 300 mm			831.84
1 wheel Ø100 mm	standard		831.46
	with brake		831.47
Lateral basket	small	400 x 100 x 100 mm	494.21
	big	400 x 200 x 150 mm	494.23

Wire shelf trolleys with compartments & hanging rod



839.23 + options

→ Wire shelf trolleys with compartments & hanging rod

Trolleys with compartments and hanging rod
equipped as standard with :

- 4 tubes
- Wire shelves with separators
- 1 label-holder/compartment
- Hanging rod
- 4 bumpers

C.	LEVEL	HANGING ROD	WIDTH	DIM. D X H	REF.
8	4	300 mm	910 mm	460 x 1750 mm	839.20
10	5	300 mm			839.21
12	4	300 mm	1220 mm		839.22
15	5	300 mm	1220 mm		839.23
	5	600 mm	1520 mm		839.24
	5	900 mm	1830 mm		839.25
16	4	300 mm	1520 mm		839.26
20	5	300 mm			839.27



Committed by nature

we advise you to choose
steel epoxy painted trolleys
(tubes and wire shelves)
They are more eco-friendly.



Possible opening for a lateral push-handle - Consult us

→ Exterior cover

Polyester 190/m² - Bluecolor - Metal zipper with fixed cursor stop

WIDTH	D. 460 MM	D. 610 MM
650 mm	897.01	897.10
800 mm	897.02	897.11
950 mm	897.03	897.12
1250 mm	897.04	897.13
1400 mm	897.05	897.14
1570 mm	897.06	897.15
1880 mm	897.07	897.16

Nursing trolleys



→ Nursing trolleys

Entirely welded steel structure with ergonomic handles - Epoxy painted (14 colors possible).

"Open" model with lateral wire panels.

"Secured" model with full panels and sliding doors in front, with key lock, in aluminium epoxy painted.

Height-adjustable central shelf.

Swivel wheels Ø 125 mm, one wheel with brake, with bumpers.

Nursing trolley (408.32 et 408.33) equipped with :

- Upper and lower trays covered with ABS plastic tray.
- Sliding plastic drawer - Slides on 2 sides.
- 1 lateral plastic bin (345 x 130 x 130 mm)
- + 1 lateral basket (400 x 200 x 150 mm).
- Sliding sorter 3 boxes: 1 for 15/20 patients or 2 for 20/30 patients.

Colour choices :

With	Turquoise	Beige
Blue	Yellow	Lilac
Saffron	Grey	Red
Fuchsia	Green	Plum

MODEL	CAPACITY	DIM. L X W X H	REF.
Open	For 15 to 20 patients	1025 x 570 x 1140 mm	408.32
	For 20 to 30 patients		408.33
Secured (sliding doors)	For 15 to 20 patients	1025 x 570 x 1140 mm	408.36
	For 20 to 30 patients		408.37



1700.22



494.29



OPTIONS

	OPEN	SECURED
Master key	-	494.99
Lateral rail	-	1700.22
Full side solid wall	494.17	-
Laptop holder	494.29	-
Additional cost for wheel	with brake	494.16
	Directional	494.45
Hermetically sealed waste bag holder with solid wall	494.12	494.06
Laundry bag support	494.13	



494.17 + 494.12



494.13

Options & Accessories

OPTIONS & ACCESSORIES



→ Sliding top storage

1 additional box 494.19

3 additional boxes 494.18

Only on upper tray
for ref. 408.36 et 408.37



→ Additional side basket

400 x 100 x 100 mm 494.21

400 x 200 x 150 mm 494.23



→ Lateral plastic basket with hooks

REF.494.26



→ Sliding plastic drawer

For open model 494.24

For closed model H. 80 mm 494.94

H. 120 mm 494.88



→ Height-adjustable arm for a laptop

Universal laptop holder 494.71

VESA screen holder 494.72



494.14



494.20

→ Holder for :

Glove box 494.14

Roll 494.20

Staffing sheets 494.15

OPTIONS & ACCESSORIES- ONLY FOR REF.408.32 AND 408.33



→ Sliding shelf on runner

REF.494.25



→ Secured telescopic drawer

with key lock

REF.494.30



1101.01

→ Desinfectant

with clamp Ø25 mm

REF.1101.01

OPTIONS & ACCESSORIES- ONLY FOR REF.408.36 AND 408.37



→ Divider

For intermediate shelf 494.92

For lower shelf 494.93



→ Shelf cover

MODEL	15 TO 20 PATIENTS	20 TO 30 PATIENTS
Top	494.95	494.96
Low	494.97	494.98



1101.96



1600.69

→ Holder for :

Sharp collector (for rail) 1101.97

A4 format document (for rail) 1101.96

Desinfectant (for rail) 1600.69

3



Treatment Management

3.1 Infection & Prevention control

Mobile treatment unit	57
PPEDistribution Unit	58
Infection Prevention & Control	59

3.2 Peadiatrics/Maternity

Cradles	60
Examination couch & baby changing carts	61
Cots	62-63
Medical Scales & Height Measurement	64-65



Mobile treatment unit



→ Treatment and linen care

→ Blood collection



SMS INF



SMS AS



SPI C

→ Mobile treatment units- SMS®
equipped with :

Workstation (400 x 550 mm). Foldable shelf
Storage shelf with galleries and hooks (410 x 170 mm)
Storage bin for bottles (380 x 200 mm)
1 sharp container holder + 1 hand sanitiser holder + 1 glove box holder
2 stainless steel waste bag holders 20L + 1 stainless steel waste bag holder 30L*
«Caregiver» model equipped in addition with a retractable low shelf (400x350 mm) and a polyethylene laundry basket

MODEL	DIM. L X W X H	REF.
Nurse	420 x 785 x 1555 mm	SMS INF
Caregiver		SMS AS

→ Unit for sample taking and injections - SPI®
equipped with :

Workstation (280 x 350 mm)
1 sharp container holder + 1 hand sanitiser holder
+ 1 glove box holder
1 stainless steel waste bag holder 20L

MODEL	DIM. L X W X H	REF.
Sample taking and Injections	405 x 520 x 1400 mm	SPI C

OPTION



ACCRO SMS

→ Universal attaching system

for treatment cart

REF. ACCRO SMS

PPE Distribution Unit



→ UMP®



UMP C

→ UDEPI® wall mounting



UDEPI PORT M1



UDEPI MUR M1



→ UDEPI® COMPACT



UMP COL C



UDEPI COMPACT



→ Mobile precaution units- UMP®
equipped with :

2 storage baskets (380 x 315 x 100 mm)
1 shelf (350 x 280 mm)
1 universal holder for hand sanitiser
1 stainless steel waste bag holder 30L
3 coat hooks coat separation spacer
1 reading window for instructions

MODEL	COLOURS	DIM. L X W X H	REF.
Mobile	White	391 x 507 x 1731 mm	UMP C
	Yellow		UMP COL C

→ PPE Distribution Unit - UDEPI®
equipped with :

3 holders for glove box or mask box
1 mask box holder (large size)*
1 waste bag dispenser with suspension hooks*
1 lateral hand-disinfectant holder
1 waste bag dispenser with suspension hooks*
1 sheet of identification stickers*

MODEL	DIM. L X W X H	REF.
Mobile	600 x 507 x 1731 mm	UDEPI MOB M1
Wall mounting	600 x 154 x 660 mm	UDEPI MUR M1
Door mounting		UDEPI PORT M1
COMPACT	520 x 118 x 490 mm	UDEPI COMPACT

* not included in COMPACT model

Infection Prevention & Control



→ Mask box holders

Fixed holders for disposable mask & glove boxes created to facilitate the distribution of PPE (Personal Protective Equipment) required for the practical application of the preventative measures during treatments. Universal holder; simple, double or triple; magnetic, wall and rail mounting

MODEL	FIXATION	DIM. L X W X H	REF.
Simple	Wall	200 x 98 x 111 mm	1501.52
	On rail	200 x 98 x 133 mm	1501.51
Double	Wall	200 x 98 x 211 mm	1501.55
	On rail	200 x 98 x 233 mm	1501.54
Triple	Wall	200 x 98 x 311 mm	1501.58
	On rail	200 x 98 x 333 mm	1501.57

→ Glove box holders

MODEL	FIXATION	DIM. L X W X H	REF.
Simple	Wall	250 x 82 x 136 mm	1501.61
	On rail	250 x 82 x 148 mm	1501.60
Double	Wall	250 x 82 x 266 mm	1501.49
	On rail	250 x 82 x 278 mm	1501.36
Triple	Wall	250 x 82 x 397 mm	1501.47
	On rail	250 x 82 x 409 mm	1501.35



→ Mobile sharp container

Support composed of a plastic base 50mm
Base sleeve in stainless steel tube 30 mm
Guide handle in stainless steel tube adjustable height from 850 to 1250 mm
Sharp container holder removable equipped with an adjustable elastic strap
Optional waste bag holder available page 38

MODEL	REF.
Sharp container holder	SPCTR

SPCTR + options

Cradles



505.71



505.70



595.26




595.29



595.28



505.81



Small lateral basket



Large low basket

→ Cradles with fixed height

Frame is entirely welded in stainless steel 18/10 or epoxy
Shell in moulded Altuglass - Possibility of Trendelenburg to 15°
Swivel wheels Ø50 mm
Maximum user weight : 9 kg

Colours choices * :

 Beige	 Yellow	 Saffron
 Red	 Green	 Blue
 Turquoise	 Lilac	 Grey
 Fuchsia		

MODEL	DIM. L X W X H	REF.
Stainless steel	465 x 865 x 960 mm	505.70
Epoxy *		505.71



OPTIONS	REF.
Foam mattress with waterproof vinyl fabric coverclass M1	506.44
Large basket	595.26
Additional cost for 2 wheels with brakes Ø50 mm	595.25
Mother basket	595.29
Shelf	595.28

→ Cradles height adjustable (from 925 to 1225 mm)

Support profile of powder coated aluminum in white
Frame of powder coated tubular steel, equipped with the tilting mechanism providing Trendelenburg position +12°
Base of steel with ABS plastic cover in white, equipped with 75 mm plastic castors (white), all with lock
Transparent altuglass bassinnet, equipped with white mattress (foam + non-removable cover of PVC coated fabric)
Inner basket dimensions : 660 x 410 x 220 mm
Mattress dimensions: 620 x 360 x 40 mm

Colour choices :

 Bright pink	 Blue	 Aluminium
 Peach coloured	 Bright green	 White

MODEL	DIM. L X W X H	REF.
Standard	755 x 480 x 925 - 1225 mm	505.81
With small lateral basket		505.82
With large low basket		505.83
With small and large baskets		505.84



ACCESSORIES	REF.
Additional Altuglass bassinnet	595.60
Additional mattress	595.61

Examine couch



316.23



1701.05 + 1007.75 + baskets



1700.62 + 1007.22 + drawers

→ Examination and changing baby couch

Comfortable top with rim on 3 sides covered with non-fire vinyl upholstery *.
Tubular frame Ø 25 mm, epoxy, large choice of color **.
Adjustable pads

* Colours choices : Upholstery

	Anthracite		Corn		Blue
	Pear		Cobalt		Red
	Orange		Azure		Pumpkin
	Glycine		Pebble		Petunia
	Aegean				

** Colours choices : Frame

	Beige		Yellow		Saffron
	Red		Green		Blue
	Turquoise		Lilac		Grey
	Fuchsia				

DIM. L X W X H

REF.

1000 x 550 x 800 mm

316.23

→ Baby changing carts

MODEL	DIM. L X W X H	REF.
Baby changing top for mobile drawer blocks D600	510 x 715 x 70 mm	1701.05*
Baby changing top for mobile drawer blocks D400	600 x 620 x 70 mm	1700.62*

* Mattress on request



Please find the Eolis range into Modular Equipment catalogue



Cots (fixed height)



505.56 + options



505.61 + options



505.59 + options

→ Cots beds

Cots beds are compliant with standards NF EN 716-1 and NF EN 716-2 of 05/2005 and compliant with the AFSSAPS decision of 30/07/2008
Steel construction (frame, base and bars) - Epoxy finish
Sliding side bars adjustable in height (2 positions) on stainless steel slides - Anti-pinch safety abutments - Safety lock via a pivoting latch under the lying surface. Head and foot of the bed with welded sockets for IV pole. Bars spaced 59 mm apart (bars, head and foot of the bed)
Welded mesh base - Lying surface with (or without) Trendelenburg by rack to 15°
Wheels Ø 100 mm with 2 with brakes
Maximum user weight : 20 kg

Colour choices :  Beige  Yellow  Saffron  Red  Green  Blue
 Turquoise  Lilac  Grey  Fuchsia

2 SLIDING SIDES				4 SLIDING SIDES			
TRENDE- LENBURG	BASE DIM.	DIM. L X W X H	REF.	TRENDE- LENBURG	BASE DIM.	DIM. L X W X H	REF.
Without	1500 x 600 mm	740 x 1620 x 1650 mm	505.52	Without	1500 x 600 mm	740 x 1620 x 1610 mm	505.57
	1200 x 600 mm	740 x 1320 x 1650 mm	505.54		1200 x 600 mm	740 x 1320 x 1610 mm	505.58
With	1500 x 600 mm	740 x 1620 x 1670 mm	505.60	With	1500 x 600 mm	740 x 1620 x 1560 mm	505.61
	1200 x 600 mm	740 x 1320 x 1670 mm	505.56		1200 x 600 mm	740 x 1320 x 1560 mm	505.59

→ ACCESSORIES

	FOR BASE 1500 X 600 MM	FOR BASE 1200 X 600 MM
1 Foam mattress with waterproof polyurethane fabric cover class M1 	506.62	506.43
2 IV pole Ø 16 mm - 2 curved stainless steel hooks 		317.03
3 Urine bag holder with clamp		595.21
4 Oxygen bottle holder		595.22
5 Tray under the lying surface	595.18	595.17


Cots (adjustable height)



505.27 + options



505.27 + options



→ Cots beds

Children's bed is designed for children patients laying in hospitals during diagnosing and treatment. Construction of the bed is made of carbon steel tubes coated with powder varnish, UV. The bed is equipped with adjustable side rails controlled by gas springs and 4 castors Ø 100 mm, each with individual castor brake. The frame of the bed has bumpers that protect against impacts on the walls of rooms when the bed is rolled.

On section pallet made with steel wire mesh. Two holes for IV stand with knobs.

Adjustment : Pallet height (650 - 900 mm), Trendelenburg and reserve Trendelenburg (8/8) adjustable mechanism.

Maximum user weight : 50 kg

Colour choices :  Gray  Beige  Yellow  Orange  Green  Blue  Sea

DIM. L X W X H (EXT.)	DIM. L X W (INT.)	BACKREST SEGMENT ADJUSTMENT	CASTOR DIAMETER	REF.
1540 x 750 x 1370 mm	1280 x 600 mm	0 - 60°	100 Ø mm	505.27



OPTIONS

	REF.
1 Mattress made of polyurethane foam, 25 kg/sqm density covered waterproof, steam permeable cover 1280 x 600 x 100 mm (without zipper cover) 	506.39
2 Two section pallet made with metal wire mesh. Back rest control by ratchet mechanism 	595.56
3 Wire mesh low shelf	595.57
4 2 boxes with fixing system	595.58
5 Infusion rod with 2 hooks 	595.59

Medical Scales & Height Measurement

PAEDIATRICS/ MATERNITY 



→ Baby scales

Medical device (93/42/EEC: Class III) - Ergonomic tray, robust ABS plastic (easy to clean) - Vibration-free weighing - Large backlit LCD display (digit H. 25 mm - Readability: 0.01 kg) - Power adapter (included) & battery function - Secure positioning with rubber feet
Dim: W. 600 x D. 280 x H. 55 mm
Weight: 4.6 kg

From 6 to 15 kg	REF.318.60
Up to 20 kg	REF.318.61
Transport bag	REF.318.75

→ Height rod for baby scale

Medical device (93/42/EEC: Class I) - Mechanical height rod to fix to the scale - Readout on scale with moveable stop (up to 80 cm)
Division: 1 mm (units: cm)
Dim: W. 900 x D. 465 x H. 180 mm
Net weight: 0.80 kg

REF.318.66

→ Portable baby height rod

Medical device (93/42/EEC: Class I) - Mechanical height rod - Foldable for compact storage - Readout on scale with moveable stop (up to 100 cm)
Division: 1 mm (units: cm)
Dim: W. 1040 x D. 290 x H. 55 mm
Net weight: 0.70 kg

REF.318.59

→ Measuring tape for body circumference

Ideal to determinate the WHR - Continuous pull-out measuring tape - Integrated feed mechanism - Easy-to-read measurement value - Division: 1 mm (units: cm)
Dim: W. 55 x D. 90 x H. 20 mm
Net weight: 0.25 kg

REF.318.86

HEIGHT MEASURING SYSTEMS 



→ Height rod

Medical device (93/42/EEC: Class I) - Mechanical height rod to fix to the scale or wall mounting - Precise reading with adjustable head piece, from 20 to 205 cm - Graduation: 1 mm (units: cm)
Dim: W. 120 x D. 2145 x H. 1500 mm
Net weight: 0.8 kg

REF.318.58



→ Mobile stadiometer

Medical device (93/42/EEC: Class I) - Simple assembly - Robust platform for secure stance - Precise reading with large head piece, from 20 to 205 cm - Graduation: 1 mm (units: cm)
Dim: W. 328 x D. 2145 x H. 574 mm
Net weight: 3.6 kg

REF.318.82



→ Roll-up measuring tape

Medical device (93/42/EEC: Class I) - Tape with wall attachment - Precise reading through display window in the head piece, from 0 to 220 cm - Graduation: 1 mm (units: cm)
Dim: W. 328 x D. 2145 x H. 574 mm
Net weight: 0.2 kg

REF.318.72

Medical Scales & Height Measurement

MEDICAL SCALES



→ Mechanical floor scale

Easy to operate - Platform with non-slip surface - Clear circular scale (digit H. 8 mm - Readability: 1 kg)
Secure positioning with rubber feet
Weight capacity: max. 150 kg
Dim: W. 265 x D. 210 x H. 40 mm
Net weight: 3.2 kg

REF.308.66



→ Digital floor scale

Medical device (93/42/EEC: Class III) - Platform with non-slip surface - Large backlit LCD display (digit H. 25 mm Readability: 0.1 kg) - Rechargeable battery - Secure positioning with rubber feet
Weight capacity: max. 250 kg
Dim: W. 365 x D. 360 x H. 80 mm
Net weight: 9 kg

REF.318.64



→ Digital column scales

Medical device (93/42/EEC: Class III) - Platform with non-slip surface - Large backlit LCD display (digit H. 25 mm Readability: 0.1 kg) - Rechargeable battery - Secure positioning with rubber feet - 2 integrated transport wheels
Weight capacity: max. 250 kg
Dim: W. 365 x D. 360 x H. 80 mm
Net weight: 11.5 kg

Standard

REF.318.62

With height rod


REF.318.63



→ Mobile chair scale

Medical device (93/42/EEC: Class I) - Ergonomic carrying handles - Suitable for overweight patient (up to 300 kg) - Foldable armrests & footrests - Large LCD display (digit H. 25 mm - Readability: 0.1 kg)
- Battery: 6x 1.5 V AA included - Wheels Ø 100 mm, 2 with brake
Dim: W. 500 x D. 360 x H. 370 mm
Net weight: 22 kg

REF.318.65



→ Wheelchair platform scale

Medical device (93/42/EEC: Class III) - Low overall height for easy access - Suitable for overweight patient in wheelchair (up to 300 kg) - Large LCD display (digit H. 25 mm - Readability: 0.1 kg) with cable (L. 1.85 m) - Rechargeable battery (platform) + not included battery 6x 1.5 V AA (LCD display)
Dim: W. 910 x D. 740 x H. 65 mm
Net weight: 28.6 kg

REF.318.70



OPTIONS

Rechargeable battery (NiMH, 6x 1.2 V 2000 mA)
Compatible with all our medical scales, excepting the wheelchair platform

REF.

318.81

Power adapter (100 V - 240 V, 12 V 500 mA)
with international plug-in: EURO, AUS, UK, US, CH
Compatible with all our medical scales, excepting the wheelchair platform

318.92



4



Treatment Management

4.1 Examination/Consultation

Infirmery & car furnitures	67
Stretchers	68-69
Examination couch	70-71
Treatment chair	72-73
Reclining and geriatrics chairs	74
Reclining and transfer chairs	75
Medical lightings	76
Pharmacy cabinets	77
Screens	78-79
Folding wheelchairs	80
Chairs	81
Bio waste holder	82
Composite breakfast carts	83
Height-adjustable stools	84
Stools and saddles	85
Computer trolley	86-87



Infirmery & care furnitures



→ Simple bed

Simple Bed (Iron Headboard, with 4 end caps)
Steel Structure and mesh bed Epoxy finishing

Maximum user weight : 135kg

DIM. L X W X H	WEIGHT	REF.
2040 x 930 x 510 mm	66 kg	507.20

→ ACCESSORIES REF.

Mattress	507.21
----------	--------

→ Bedside

Bedside table with 1 drawer
Steel structure - Epoxy finishing with melamine top

DIM. L X W X H	WEIGHT	REF.
390 x 540 x 875 mm	25.1 kg	507.19



→ Over bad table

Overbad table with epoxy painted steel frame, adjustable in height
Vamished MDF top with anti-spill collar. Availbe also economic
model with top in melamine
Tray adjustable in inclination
Maximum user weight : 150kg

DIM. L X W X H	REF.
730 x 430 x 720 - 1220 mm	506.29



Stretchers



→ Children trolley transport

Trolley for children transport

Safe for patient and caregivers - High tops and side rails provide a safe transportation of a child. Trolley offers very easy and user friendly adjustment of height and Trendelenburg and Reverse Trendelenburg positions by means of foot levers

Column construction and pallet filled with HPL boards ensure better cleaning and disinfection. Construction of the stretcher is made of steel sections covered with a powder varnish, resistant to UV radiation, mechanical damages, disinfecting and cleaning agents. The trolley is equipped with four bumpers for impact protection. Maximum user weight : 50 kg

Colour choices : Grey Yellow Orange
 Green Blue Beech

DIM. L X W X H	REF.
1300 x 530 x 565 to 895 mm (palet)	203.25



OPTIONS	REF.
Stainless steel IV rod 2 hooks	293.16
Straps to immobilize the patient	293.15



→ Transport stretchers

Construction which makes maneuverability easier. Lying surface is filled with HPL boards which are X-ray translucent, durable and easy to keep clean

Trolley is equipped with 4 bumpers for impact protection and 4 wheels braked. Main accessories like side rails or pushing handles are made of stainless steel which has high corrosion resistance.

Strengthened mattress with transport holders

Wide range pallet height adjustment realised by a foot controlled hydraulic pump makes the patient transfer from bed to trolley much easier

Maximum user weight : 180 kg

DIM. L X W X H	REF.
1900 x 600 x 500 to 915 mm (palet)	203.12



OPTIONS	REF.
Stainless steel IV rod 2 hooks	293.22
Straps to immobilize the patient	293.23



Stretchers



→ Stretcher CE

The stretcher can be used for transport or as a temporary bed
Construction of the stretcher is made of steel sections covered with a powder varnish, resistant to ultraviolet radiation, mechanical damages, disinfecting and cleaning agents.
The stretcher is equipped with: 4 protective bumpers for impact protection, removable mattress made of polyurethane foam covered with an artificial leather, stainless steel side rails, stainless steel IV pole, four non-marking castors with central brake system, pushing handles
The pallet height adjustment is realised by a foot controlled hydraulic pump. The backrest segment, Trendelenburg and Reverse Trendelenburg positions adjusted by gas springs with interlocking
Maximum user weight : 250 kg

DIM. L X W X H	REF.
1920 x 650 x 570 to 910 mm (palet)	203.15



OPTIONS	REF.
Tunnel on X-ray cassette under the pallet	293.25
Wire basket for patient belongings	293.26
Basket for oxygen tank	293.27
Straps to immobilize patient	293.32



→ Transport stretchers CE

Very easy and user friendly adjustment of height and Trendelenburg and Reverse Trendelenburg positions by means of foot levers which are accessible from both sides of the stretcher. The backrest is easily adjustable by gas spring
Large 200 mm castors and fifth directional wheel allow the stretcher to be turned 360 ° and easily operated even by one person. Push handles and central brake levers specially located from the head and foot side make maneuverability easier and ensure quick locking of the chassis
Equipped with :
Easily lowered side rails
4 bumpers - Central lock and direction wheel
Folded handles from the head side - Pushing bar from the leg side
Place for patient's stuff
Folded drip bottle holder - Space for oxygen cylinder - Sockets for additional drip bottle holder
Removable mattress in the cover of the artificial leather
Maximum user weight : 230 kg

DIM. L X W X H	REF.
1920 x 630 x 565 to 895 mm	203.20



OPTIONS	REF.
Tunnel on X-ray cassette under the pallet	293.10
Straps to immobilize patient (2 pieces)	293.12



Examination couch



→ Examination couch

Examination couch conceived for observation and treatment.
Bipartite structure in painted steel with epoxy paint finish (grey)
Fixed height in 3 positions, by adjusting the position of the legs
Articulated headboard with hole for face placement + paper roll holder
Flat packed delivery
Maximum user weight : 100kg
Padded bed in foam coated with Medical upholstery

Colour choices :  Preto  Neve  Laguna
 Primavera  Tangerina  Cyclame

DIM. L X W X H

REF.

1850 x 580 x 600 - 680 - 730 mm

316.78



→ Gynaecological couch

Gynaecological examination couch
Painted with metallic gray epoxy powder. The top level is covered in washable and flame retardant class 1 IM coated fabric (synthetic leather/vinyl)
The head and leg sections are reclinable. The expanded foam leg holders are adjustable in all directions
Container placed under the seat
Adjustable feet. Flat pack delivery
Maximum user weight : 150kg

Colour choices :  Nero  Grey  Blue
 Verde acqua  Lilla  Arancia

DIM. L X W X H


WEIGHT

REF.

1810 x 600 x 850 mm

38 kg

316.86



Examination couch



316.48



396.46



316.43 + 396.33



396.33

→ Examination couch Height adjustable



Examination couch height adjustable or hydraulic (bilateral foot control)
White epoxy frame , safety cover at base 4 , adjustable skid in polyamide
Backrest adjustable by gas spring. Roll holder at the foot part
Weight of the couch : 80 kg
Maximum weight for the Hydraulic adjustment : 300 kg
Maximum weight for the electric adjustment : 220 kg

Colour choices : Anthracite Galet Égée
 Poirier Glycine Mandarine

SETTING	DIM. L X W X H	REF.
Hydraulic	2000 x 670 x 540/840 mm	316.44
	2000 x 800 x 540/840 mm	316.45
Electric	2000 x 670 x 560/960 mm	316.47
	2000 x 800 x 560/960 mm	316.48



OPTIONS	REF.
Leg rest - Black	396.33
Clamp for leg rest	396.36
4 wheels with brake	396.46

→ Gynaecological couch Height adjustable



Gynaecological couch height adjustable or hydraulic (bilateral foot step control)
White epoxy frame , safety cover at base 4 , adjustable black gloves in polyamide
Backrest adjustable by gas spring. Lifting seat manually adjustable
Stainless steel bowl. Sliding bushings for calipers
Roller holder at the foot part
Weight of the couch : 80 kg
Maximum weight for the Hydraulic adjustment : 300 kg
Maximum weight for the electric adjustment : 220 kg

Colour choices : Anthracite Galet Égée
 Poirier Glycine Mandarine

SETTING	DIM. L X W X H	REF.
Hydraulic	2000 x 670 x 540/840 mm	316.40
	2000 x 800 x 540/840 mm	316.41
Electric	2000 x 670 x 560/960 mm	316.42
	2000 x 800 x 560/960 mm	316.43



OPTIONS	REF.
Leg rest - Black	396.33
4 wheels with brake	396.46

Treatment chair



316.79



316.56

→ Blood collection chair

Epoxy frame
Seat and backrest with black thermoformed housing
PVC collection gutters with height adjustable and reclining
Maximum user weight : 120kg

DIM. L X W X H	WEIGHT	REF.
645 x 585 x 750 mm	10 kg	316.79

→ Arm support

Arm support in polyurethane
Height and reclining adjustable
Plastic base 5 branches
2 brake wheels

HEIGHT	REF.
From 650 to 1000 mm	316.56



316.37

→ Treatment, blood collection, dialysis and chemotherapy armchair

Painted with white epoxy powder
The padded surface is covered in washable and flame retardant class 1 coated fabric (synthetic leather/vinyl)
The synchronized cushions are set in action by a gas spring (cylinder/piston) located behind the backrest and capable of very quickly moving the structure into the TR/RTR position
The armrests are reclinable and adjustable in height. The armchair is equipped with adjustable feet for increased stability
Maximum user weight : 150kg

Colour choices :  Nero  Grigio  Blu
 Verde acqua  Lilla  Arancia

DIM. L X W X H	WEIGHT	REF.
1750 x 550 x 510 mm	33 kg	316.37



Treatment chair



316.38



Gynaecological armchair CE

Stable and robust structure in square, rectangular and round tubes
Upper side and foam waders covered with flame-retardant coated fabric

Very handy structure thanks to 3 electrics actuators controlled by push button panel

Height adjustable (from 570 to 980 mm HT)

Adjustable back rest by electric cylinder (+75 degrees positive and -10 degrees negative)

Electrical leg rest support (+5 degrees positive and 90 degrees negative)

Equipped with a roll holder and 4 adjustable foots + 2 adjustable leg rest

Maximum user weight : 250 kgs

Colour choices :  Nero  Grigio  Blu
 Verde acqua  Lilla  Arancia

DIM. L X W X H	WEIGHT	REF.
1820 x 680 x 570 - 980 mm	80 kg	316.38



316.39



Dialysis and chemotherapy armchair CE

Stable and robust structure in metal

Upper part and foam armrest covered with classy flame-retardant coated fabric (imitation leather or Skai)

Very handy structure thanks to 3 electrics actuators controlled by push button panel.

Height adjustable

Back rest adjustable (from 570 to 980 mm HT)

Adjustable back rest by electric cylinder (+75 degrees positive and -10 degrees negative)

Electrical leg rest support (+5 degrees positive and 90 degrees negative)

Equipped with a roll holder and 4 adjustable foots

Maximum user weight : 200 kgs

Colour choices :  Nero  Grigio  Blu
 Verde acqua  Lilla  Arancia

DIM. L X W X H	WEIGHT	REF.
1820 x 680 x 570 - 980 mm	80 kg	316.39



Reclining and geriatrics chairs



→ Reclining chairs on pads

Frame in grey epoxy steel tube
Upholstery M1 vinyl covered
Independent and removable headrest. Fixed or reclining backrest by handle on both sides
Removable polyurethane arm pads - 4 heights
Wheels handling
Maximum user weight : 175kg

Colour choices : Bleu pétrole Prune Terre

MODEL	DIM. L X W X H	POIDS	REF.
Fix armrest + fix backrest	630 x 730 x 1240 mm	21 kg	102.23
Adj. armrest + fix backrest	660 x 730 x 1250 mm	26 kg	102.24
Adj. armrest + adj. backrest	660 x 730 x 1250 mm	27 kg	102.25

→ Independant footrest

Frame in grey epoxy steel tube
Upholstery M1 vinyl covered
Adjustable height

Colour choices : Bleu pétrole Prune Terre

HEIGHT	REF.
480 - 560 mm	102.28



→ Reclining chairs on pads

Structure designed for users to sit on, with armrests
Structure made from epoxy-painted steel
Back seat, armrests and leg rests upholstered in mdf covered in flexible polyurethane foam covered in synthetic leather made of polyester and cotton mesh covered in PVC
Adjustment of the inclination of the feet and back by means of a rack-type system, operated by side handles on both sides, allowing various angles of inclination
Feet with 4 end caps
Weight : 16 kg
Maximum user weight : 120 kg
Grey structure and black synthetic leather

DIM. L X W X H	REF.
1570 x 592 x 1085 mm	102.29

Reclining and transfer chairs



102.30



Comfort
Backrest recline and leg elevation



Transfer
Armrests adjustable up to seat level
for easy access



Single handle

→ Reclining and transfer chairs CE

Reclining chair designed for use in a clinical, hospital and institutional environment in general
Structure robust and resistant in steel tube
Backrest with lumbar reinforcement promoting greater support and consequent feeling of comfort
Reclining backrest up to 155° through 500N gas actuator. Lifting feet support through 200N gas actuator. Arm support height adjustable to the height of the seat facilitating the patient in and out of the chair, as well as the lateral transfers
Ø125 mm wheels with brakes system on two wheels
Maximum user weight : 180kg

Colour choices :  Preto  Neve  Laguna  Primavera  Tangerina  Cyclame

DIM. L X W X H	DIM. SEAT L X W	L. WITH RECLINE	RECLINING BACKREST	REF.
660 x 730 x 1190 mm	490 x 500 mm	1630 mm	155°	102.30

Medical lightings

MEDICAL DEVICE CLASS 1 - CE CERTIFIED
ON/OFF SWITCH - LED LIFE SPAN: 50 000H min.



Power cable length : 3 meters
Telescopic trolley base INCLUDED (5 swivel Ø53 mm wheels)
Adjustable from 600 to 1000 mm

→ LED Bella Lumax CE

Head dimensions: 160 x 130 mm
Flexible arm: 700 mm
Light intensity: 2300 Lumens
Colour of temperature: 4500°K (neutral white)
Electric consumption: 18 Watts

REF. 327.76

→ LED Hepta CE

Head dimensions: 110 x 100 mm
Flexible arm: 650 mm
Light intensity: 980 Lumens
Colour of temperature: 4500°K (neutral white)
Electric consumption: 7 Watts

REF. 327.77



→ LED Hydra CE

Head dimensions: 60 x 100 mm
Flexible arm: 1000 mm + 2 x 250 mm
Light intensity: 420 Lumens x 2
Colour of temperature: 4500°K (neutral white)
Electric consumption: 6.5 Watts

REF. 327.78

→ LED Lina CE

Head dimensions: 500 x 25 mm
Flexible arm: 650 mm
Light intensity: 1680 mm
Colour of temperature: 4500°K (neutral white)
Electric consumption: 13 Watts

REF. 327.79

→ ACCESSORIES

REF..

Universal clamp for rail or tube fixing

327.60



→ Negatoscopes CE

Moulded cord European norm
Epoxy metal cabinet and textured epoxy paint
Stainless steel film holder - Films hold by cadmia rollers
Opalin diffusion screen mounted on slide rail

MODEL	DIM. L X W X H	REF.
Horizontal - 1 range (2 x 15 W)	450 x 130 x 485 mm	309.04
Horizontal - 2 ranges (4 x 15 W)	810 x 130 x 485 mm	309.05
Horizontal - 3 ranges (2 x 40 W)	1226 x 130 x 485 mm	309.06
Horizontal - 4 ranges (2 x 65 W)	1526 x 130 x 485 mm	309.07
Vertical - 3 ranges (2 x 40 W)	450 x 130 x 1255 mm	309.08

Pharmacy cabinets



309.30



308.41

→ Pharmacy cabinets

Epoxy coated body frame - white colour
Door opening with key lock. Strong 3 points lock
Adjustable height shelves - Adjustable pads
Equipped as standard :
4 shelves :
1 top fix shelf with 3 levels stand
1 x toxic compartment with key lock on fixed shelf
2x adjustable height shelves

MODEL	DIM. L X W X H	REF.
Simple	625 x 425 x 1880 mm	309.30
Double	1000 x 425 x 1880 mm	308.41



ACCESSORIES

	SIMPLE	DOUBLE
Additional shelf	594.02	594.11
Additional toxic compartment	398.51	
Stand with 3 levels	-	398.53



308.57



308.58

→ Wall pharmacy cabinets

Epoxy coated body frame - white colour
Door opening with key lock
Adjustable height shelves

MODEL	DIM. L X W X H	REF.
3 shelves	400 x 300 x 600 mm	308.57
2 shelves + toxic compartment		308.58



→ Instrument cabinets

Epoxy coated body frame - white colour
4 rigid plexiglass shelves can be removed or adjusted every 40 mm
- Plexiglass doors, thickness 5 mm. Interior angles perfectly smooth
Safety lock
Adjustable pads

MODEL	DIM. L X W X H	REF.
1 door	500 x 420 x 1750 mm	309.31
2 doors	1000 x 420 x 1750 mm	309.32



ACCESSORIES

	1 DOOR	2 DOORS
Bottom in stainless steel	399.10	399.11
Additional shelf with supports	399.12	399.13

Screens



→ Mobile screens with rigid panels with central leg

Articulated frame made of anodized aluminium with patented anti-pinch system.
Very easy to fold and unfold thanks to the very flexible articulations and double-roller swivel wheels.
Solid panels entirely opaque to light, soundproof and coated with a laminated decor (choice of colours) - Fire classification M2.

Colour choices :

	White		Pearl grey
	Cream		Grey
	Mimosa		Beige
	Nectarine		Foam
	Light blue		

PANELS	DIM. L X H	REF.
3 rigid panels	1500 x 1550 mm	315.25
4 rigid panels	2000 x 1550 mm	315.26



→ Screens with rigid panels for mobile or fixed supports

PANELS	DIM. L X H	REF.
	900 x 1450 mm	315.01
3 rigid panels	900 x 1650 mm	315.05
Wall fixing	900 x 1850 mm	315.09
	1500 x 1450 mm	315.02
5 rigid panels	1500 x 1650 mm	315.06
Wall fixing	1500 x 1850 mm	315.10
	2100 x 1450 mm	315.03
7 rigid panels	2100 x 1650 mm	315.07
Wall fixing	2100 x 1850 mm	315.11
9 rigid panels	2100 x 1850 mm	315.11
Wall fixing		



Don't forget to equip your screens with mobile or fixed holders available as options.



OPTIONS	RÉF.
Mobile holder on wheels for wall fixing screens	395.21

Screens



→ Foldable screens on wheels

Vinyl fabric panel M1, white colour.
Aluminium tube frame.
Swivel wheels Ø50 mm.

MODEL	LENGTH	DIM. L X H	REF.
3 panels	590 mm > 1650 mm	420 x 1680 mm	314.00
4 panels	610 mm > 2220 mm	420 x 1680 mm	314.01



314.21

→ Telescopic screens

Pivoting curtain holder - Nylon plate with hardware included.
Perfectly smooth telescopic tubes made of anodized aluminium.
Curtain made of Trevira® CS fabric, antibacterial, class M1 equipped with nylon rings.

Colour choices :

- Ivory
- Wheat
- Tangerine
- Periwinkle
- Time-green
- Lilac
- Ice white

MODEL	LENGTH	H. 1800MM	H. 1400MM
Pivoting telescopic arm	850 mm > 2100 mm	314.10	314.11
	650 mm > 1600 mm	314.12	314.13
Pivoting and foldable telescopic arm	1000 mm > 2100 mm	314.20	314.21
	800 mm > 1600 mm	314.22	314.23



314.29



OPTIONS	MATERIAL	REF.
Mobile holder for telescopic screen (compatible only with screens H. 1400 mm)	Stainless steel	314.29

Folding wheelchairs




104.58 + options

→ Folding wheel chair - 160 kg high load capacity


Seat and backrest covered with black nylon upholstery
Fold-up armrests with polyurethane arm pads
Rear wheels Ø600 mm with spokes
Frame in aluminium handrims and tubing
Front wheels Ø200 mm
Removable foldaway footrest, in block composite
Special wheelchair for obese people until 160 kg

Colour choices :  Blue  Grey
 Black  Red



Dimensions :
Dim. 510 x 710 x 1010 mm
Other size 555 mm,
to defined when ordering
Other sizes available

MODEL	WEIGHT	FIXED BACKREST	RECLINING BACKREST
Seat size : 505 mm	14.4 kg	104.58	104.61
Seat size : 605 mm		104.60	104.62



194.81



OPTIONS

REF.

Heels for foot-rest	194.80
IV pole with holder	194.81

Chairs



104.55

→ Shower chairs - Foldable

Aluminium tube frame. Epoxyfinished
Rust resistant - Easy to fold
Equipped with :
Foldable and height adjustable footrests
Swing back arms
Toilet pan
Restraint belt
Seat with seat plate

MODEL	DIM. L X W X H	REF.
Shower chair to propel	680 x 1115 x 1000 mm	104.55
Shower chair to push	575 x 1045 x 1000 mm	104.56



104.56



103.60



103.62

→ Commode chairs

Steel tube frame Ø 25 mm. Backrest and removable seat
Fixed or foldable armrests covered with upholstery M2 vinyl
Anatomic pail with lid resistant to 90° - Pail mounted on slide bars
under the seat and removable from either side
4 pads or 4 wheels Ø 100 mm, 2 with blocking device

Standard Models :
M2 upholstery vinyl, colour Bordeaux
Maximum user weight : 100 kg (Ref. 103.60), 90 kg (Ref. 103.62)
Dim. 450 x 470 x 930 mm

Reinforced Models :
Removable footrest
M2 upholstery vinyl, colour Grey for reinforced models
Maximum user weight : 150 kg (Ref. 103.61), 130 kg (Ref. 103.63)
Dim. 600 x 470 x 930 mm

Colours choices :

 Beige	 Yellow	 Safran
 Red	 Turquoise	 Blue
 Clear blue	 Clear green	 Lilac
 Aluminium	 Fuchsia	



103.61



103.63

MODEL	STANDARD MODELS	REINFORCED MODELS LARGE WIDTH
With pads, fixed armrests	103.60	103.61
With castors Ø100 mm, foldable armrests	103.62	103.63

Bio waste holder



493.66



403.67 + 493.66 + options

→ Bio waste holder

The waste holders have been created for a better waste management (Biowaste, organic waste,...). A unique holder with separates bins for a waste sorting at the source

SUPPORT	DIM. L X W X H	REF.
For bio waste holder	650 x 525 x 750 mm	493.66



OPTIONS

REF.

1	Bio-bucket 25 litres with lid and handle green	493.60
2	Waste bag holder	10 to 20 litres 390.65 20 to 30 litres 390.78
3	Gastro basket	2/4 - 162 x 530 x 150 mm 493.64 1/4 - 162 x 265 x 150 mm 493.67
4	Sliding shelf	493.63

Food trolleys



403.47



403.63



403.65

→ Service trolleys

Solid and hygienic construction entirely argon welded, without hardware - 18/10 stainless steel quality (AISI 304)
Stainless steel to frame with 2 side push handles
Reinforced and soundproofed stainless steel sheet trays - Equipped with a stainless steel stretched gallery on three sides on the lower tray(s)
Swivel wheels Ø 100 mm or Ø 125 mm equipped with bumper rollers
Max. loads : 60 kg

MODEL	DIM. L X W X H	WHEELS	2 TRAYS	3 TRAYS
Stainless steel	600 x 400 x 970 mm	Ø 100 mm	403.47	403.49
	700 x 500 x 970 mm		403.51	403.63
	800 x 600 x 990 mm	Ø 125 mm	403.53	403.65
	1000 x 600 x 990 mm		403.55	403.67

Composite breakfast carts



402.38 + options



402.38 + options

→ Composite breakfast carts - Dual opening

Monobloc polyethylene structure - Stainless steel side push bars or handles.
4 foldaway doors on each side with magnetic closure (keylock optional)
4 composites wheels Ø125 mm

Colour choices : Blue Raspberry pink Black

CAPACITY :

14 trays 1/1 (Ref. 495.46)

28 trays 1/2 (Ref. 495.47)

CAPACITY	DIM. L X W X H	REF.
2 x 7 levels	1010 x 650 x 1100 mm	402.38



495.52



495.54



OPTIONS	REF.
Foldaway side shelf	495.52
Stainless trash bin holder with 25 L trash bin	495.54
Stainless steel holder for 3 gastro racks 1/3	495.56
Supplement for 2 wheels Ø125 mm with brakes	495.68



495.56



495.68



495.46




495.47

→ Gastronorm tray and bin

MODEL		REF.
Trays	1/1 (530 x 325 mm)	495.46
	1/2 (265 x 325 mm)	495.47
Clear interior basket 1/1	H. 150 mm	495.66
	H. 100 mm	495.67
Set of 3 gastro racks 1/3 with lids	H. 150 mm	495.86

Height-adjustable stools



Welded seat



Stretched seat

→ Height-adjustable stools - Chromium

- Ø33 cm seats covered with M1 class vinyl fabric.
- Full cover (above and below the seat) without seams.
- Height adjustable by gas spring operated by a handle under the seat or by foot control.
- Chrome-plated 5-legged base on pads or on Ø50 mm casters.

Colour choices* : Anthracite Corn Blue Orange Azure Pumpkin Aegean
 Pear Cobalt Red Glycine Pebble Petunia

CONTROL	SEAT	COLOUR	VARIABLE HEIGHT	FOOT TYPE	REF.
Manual control	Welded seat		490 > 690 mm	On pads	318.44
				On castors	318.27
	Stretched seat	All colors *	490 > 690 mm	On pads	318.28
				On castors	318.29
Foot control	Stretched seat	All colors *	520 > 710 mm	On pads	318.31
			540 > 730 mm	On castors	318.30



396.13



396.12



OPTIONS	REF.
Backrest For ref. 318.44 and ref. 318.27	396.32
Height and depth adjustable backrest	396.13
Height-adjustable footrest	396.12

→ Platforms and steps

Non-slip step, entirely made in welded stainless steel 18/10
 AISi 304 - Non-slip pads



	MODEL	REF.
Stainless steel surgeon platforms	Height 130 mm	306.38
	Height 230 mm	306.39
	Height 330 mm	306.40
Stainless steel steps	1 step	316.04
	2 steps	316.05
	3 steps	306.54
	3 steps + handle	306.53

Stools and saddles



→ Foot stool - stainless steel - Ø 330 mm

Height adjustable operating theatre stools.
Height adjustable by screw or gas spring (manual control) or hydraulic (foot control).
Round stainless steel or padded seat - fireproof and washable.
5-pronged base fitted with pads or Ø 50 mm swivel wheels.

SEAT	VARIABLE HEIGHT	HEIGHT	FOOT TYPE	REF.
Ø 320 mm	Adjustable by screw (with safety stop)	390 > 590 mm	Pads	306.91
		440 > 640 mm	Ø 50 mm wheels	306.92
Ø 330mm pad seat	Adjustable by gas spring (manual control)	480 > 680 mm	Pads	318.40
		500 > 700 mm	Ø 50 mm wheels	318.39

→ Foot stool - Aluminium - Ø 360 mm

SEAT	VARIABLE HEIGHT	HEIGHT	FOOT TYPE	REF.
Thick antistatic Ø360mm	Adjustable by hydraulic cylinder (foot control)	550 > 800 mm	Antistatic wheels Ø50 mm including 2 with brakes	318.48
Thick seat Ø400 mm	Adjustable by gas spring + armrest (foot control)	400 > 750 mm	5 wheels Ø 50 mm	348.02
Antistatic tight Ø360mm	Adjustable by gas spring (manual control)	550 > 800 mm	Antistatic wheels Ø50 mm including 2 with brakes	318.49



→ Steel base saddle

Height adjustable operating theatre saddles.
Height adjustable by screw or gas spring (manual control) or hydraulic (foot control).
Curved and padded seat - fireproof and washable.
5-pronged base fitted with pads or Ø 50 mm swivel wheels, 2 with brakes.

SEAT	VARIABLE HEIGHT	HEIGHT	FOOT TYPE	REF.
Oscillating seat	Adjustable by gas spring (foot control)	640 > 780 mm	Pads	318.41

→ Aluminium base saddle

SEAT	VARIABLE HEIGHT	HEIGHT	FOOT TYPE	REF.
Antistatic seat	Adjustable by hydraulic cylinder (foot control)	550 > 800 mm	Ø 50 mm wheels	318.51
	Adjustable by gas spring (manual control)			318.52

Accessories for computer trolleys



→ **Drawer + key lock**
REF.340.50



→ **Sliding shelf for keyboard**
REF.340.51



→ **Normalized support for accessories**
REF.340.52



→ **Barcode reader holder**
REF.340.53



→ **Keyboard cover protection**
REF.340.54



→ **CPU or thin client holder**
REF.340.55



→ **A4 files holder**
must be ordered with Ref. 340.52
REF.1101.96



→ **White epoxy wire baskets**
must be ordered with Ref. 340.52

400 x 100 x 100 mm	494.21
400 x 200 x 150 mm	494.23



→ **Multi plug**

Standard	1101.50
With surge protection	1100.43



→ **Secure support**
with key lock for battery
REF.1104.51



→ **Universal battery**
Capacity 250W/h
REF.1104.52



→ **Key-secured units**
for nominative drawers or pill-dispensers

2 levels	340.58
3 levels	340.59




→ **Silicone waterproof computer accessories**

Mouse	1104.15
Keyboard	
Without Touchpad	1104.14
With Touchpad	1104.16



A global offer

for hospitals, clinics
and nursing homes



David Herrera Cerveto
info@phg.es
691 873 138
BARCELONA

